



LEGEND:

WALL SHALL REMAIN
WALLS SHALL BE DEMO'D

- ALL INTERIOR WALLS, FIXTURES & CEILINGS INDICATED ARE BEING REMOVED & ARE NON BEARING BACK TO AN EMPTY SPACE.

- 4. REMOVE ANY 4 ALL VEGETATION 4 PLANTS AGAINST OR CLOSE TO THE BLDG, FIELD VERIFY
- VERIFY CEILING REGISTERS 4 DUCT WORK. SEE THE MECHANICAL SHEET BY OTHERS NEW WORK.



475 Village Park Dr. Powell, Ohio 43065-9178 Office: 614-791-1200 Mobile: 614-271-8420 jclarke@clarkearchitects.com

OCTOBER 17, 2022

REVISION DATES:

PROJECT:


VISTA COMMUNITY CHURCH 5626 FRANTZ RD. DUBLIN, OHIO 43017

PROJECT NUMBER CAI202175

SHEET TITLE:

FIRST FLOOR EXISTING/ DEMO PLAN/NOTES

SHEET NUMBER:





LEGEND:

DEMO GENERAL NOTES

- ALL INTERIOR WALLS, FIXTURES & CEILINGS INDICATED ARE BEING RETYOVED & ARE NON BEARING BACK TO AN EMPTY SPACE.
- 3. COORD. WI THE NEW PLANS FOR REMOVAL OF ALL MATERIALS NOT INDICATED ON THE DEMO DUGS. BEFORE REPOYAL OF INTERIOR BLOCK WALL COORD. WI THE NEW PLANS 4 THE OWNER REMOVE ANY A ALL VEGETATION A PLANTS AGAINST OR CLOSE TO THE BLDG, FIELD VERBY
 ALL EXISTING WOOD BLOCKING OR FRATING SHALL BE REMOVED.
- REYOME A DIPPOSE ALL EXISTING FLOOR COMERNISA THEOLOGICAL TO DIPPOSE PRIVATE A NOICHTED IS BE FLOOR FLOOR THE POST, LEFEL NUMBER 16 STRUCTURALLY SOAND CONCRETE FLOOR RELOY TO RECEIVE NUEL FLOOR ACTIVE FLOOR ACHIEVES I FROM PANISH FOR THE CANADO NEU FLOOR ACHIEVES I FROM PANISH FOR THE CANADO NEU FLOOR FANISH.

SHEET TITLE

CUT, CAP, PATCH 4 REMOVE ALL EXISTING FLOOR RECEPTACLES, FLOOR CONDUIT 4 PLUMBING LINES THAT PENETRATE THE FLOOR. VERBY EXISTNA MECH, PLUMBING « ELECTRICAL IN EXISTNA DEMOD AREAS BEING REMOVED, COORD, NEW LOCATIONS WITHE CUNER « NEW ENGINEERING SHEETS. VERIFY CEILING REGISTERS 4 DUCT WORK, SEE THE MECHANICAL SHEET BY OTHERS NEW WORK.

THING ARE NEW BLAS TRENCHES REQUIRED FOR THE NEW PLITSING, SEE THE ATTACHED PLITSING SHEETS. REMOVE 4 DISPOSE OF EXISTING PURNITURE, FIXTURES 4 EQUIPMENT, COORD. WITHE CHARK

SHEET NUMBER

SECOND FLOOR EXISTING/ DEMO PLAN/NOTES

VISTA COMMUNITY CHURCH 5626 FRANTZ RD. DUBLIN, OHIO 43017


PROJECT:

REVISION DATES:

DATE OCTOBER 17, 2022

EVIEW SE NOT FOR CONSTRUCTION

CLARKE ARCHITECTS, NC. 475 Village Park Dr. Powell, Ohio 43065-9178 Office: 614-791-1200 Mobile: 614-271-8420 jolarke@clarkearchitects.com



CLARKE ARCHITECTS, NO.

A75 Village Park D.
Poweld Chio 43065-978
Office 644-791-1200

Mobile 640-791-1200


Mobile 644-791-1200

Mobile 644-791-1200

PROFESSION DATES

REVIEW ACTIONS

REVIEW




SHEET TITLE: SECOND FLOOR EXISTING POWER PLAN

VISTA COMMUNTY CHURCH 5626 FRANTZ RD. DUBLIN, OHIO 43017 PROJECT: REVISION DATES: OCTOBER 17, 2022

A75 Village Park Dr.
Powel, Ohio A3036-9778
Office: 614-771-820
plate@clatearchitects.com

CONSTRUCTION REVIEW SET

CLARKE ARCHITECTS, NC.



FIRST FLOOR EXISTING
REFLECTED CEILING PLAN


VISTA COMMUNTY CHURCH 5626 FRANTZ RD. DUBLIN, OHIO 43017

REVISION DATES:


OCTOBER 17, 2022

REVIEW SET Powel One Applies for Discovering Service (Service Service) (Service Service) (Service Service) (Service Service) (Service Service) (Service) (NOT FOR





SECOND FLOOR EXISTING REFLECTED CELING PLAN (98 - 1-19)




SHEET TITLE VISTA COMMUNTY CHURCH 5626 FRANTZ RD. DUBLIN, OHIO 43017 PROJECT: SECOND FLOOR EXISTING REFLECTED CELING PLAN

OCTOBER 17, 2023

REVISION DATES:

REVIEW SET NOT FOR REVIEW SET NOT FOR
CONSTRUCTION

CLARK ARCHITCHS
POWD 1000 POK D.
POWD 1




FIRST FLOOR BUILDING PLAN/NOTES

VISTA COMMUNTY CHURCH 5626 FRANTZ RD. DUBLIN, OHIO 43017

OCTOBER 17, 2022

EVIEW SE ONSTRUCTION




≥2

SECOND FLOOR BUILDING PLAN SHEET TITLE VISTA COMMUNTY CHURCH 5626 FRANTZ RD. DUBLIN, OHIO 43017 PROJECT:



REVISION DATES:

A75 Village Park D.
Portion (14-79-170)
Mobile: 614-771-820
ichneedarksorchitectscom
CONSTRUCTION



PLAN GENERAL NOTES:

THIS IS AN ENGINE 2 SOOR CRECE BUILDING NON-COTRIBUTIONED THE TO THE BUILDING THE BUILDING SOOR CRECITION A PROPERTY OF STREET HAND, THE BUILDING SOOR SOOR THE BUILDING THE TO THESE BUILDING AS THE BUILDING SOOR THE TO THE TO THE TO THE BUILDING SOOR THE SOOR THE SOOR THE TOTAL THE TOTAL THE TOTAL THE TOTAL SOOR THE SOOR THE SOOR THE TOTAL SOOR THE SOO

CLARKE ARCHITECTS, NC.

- MERCHAND MET SHOWS THE CONTROL OF THE SHOWS AND THE CONTROL OF THE SHOWS AND THE SHOWS
- NOTALL GREEN BOARD IN ANY NEW WET CONDITION. NOTALL GREEN BOARD MIN 8'-0" HIGH ON THE TOILET WET WALLS. F DYBASONS ARE IN QUESTON - THE CONTRACTOR SHALL BE RESPONSIBLE FOR OBTAINING CLARFICATION FROM THE QUIER OR ARCHITECT BEFORE CONTINUES W CONSTRUCTION.

FROYDE TOP OF WALL BRACNG ABOYE CEILING OR DIAGONAL WHERE 4 AS READ. WALL BRACING SHOWN DIAGONAL ON TOP OF THE WALLS. SEE THE BUILDING PLANS, VERIFY LOCATION W/ FIELD CONDITIONS.

- PERSON IS USED FOR BLOCKING, ALL WOOD IN CONTACT IN CONCRETE SHALL BE PRESSURE, TREATED, FASTBLESS SHALL COPPLY IN APPROXIMATION FOR STANDARD STEEL WAS TREATED WOOD IS USED, FASTBLESS, ANCHOR BOLTS, WANTESS STEEL NALLS, ETC. SHALL BE TRIPLE HOT DIFFED OR STANLESS STEEL. SEAL ALL EXISTNO OPENNOS IN THE EXTERIOR INTERIOR WALLS 4 FLOOR SYSTEM ABOVE VEINTY ALL CONDITIONS. SEAL OPENNOS IN TATERIALS COMPATIBLE IM ADJACENT CONSTRUCTION OR RATED ASSEMBLY AS REQUIRED.
- PROVIDE INJUSTED BARG 4 MY REQUIRED FOR ALL TOILET ACCESSORES, CABINETS, WALL MOUNTED MONTORS, WALL MOUNTED LIGHT FIXTURES, GRADS BARG 4 MY REQUIREMENTS BY THE OWNER. ALL INJUSTLE BLOCKING SHALL BE WOOD OR METAL FRAMING
- ENCESTOPPING SHALL BE PROVIDED TO OUT OFF ALL CONCEALED DRAFT OFFENINGS (VERT. 4 HORIZ) 4 TO FORM AN EFFECTIVE FIRE STOP.
- R COC TILES FRE ELOCKÓ SHALL DE FROMBEN N'CONCEAUEN GRACES OF SUD MALLS AUS PARTICOS, NCLUDAS PARREIS ACES, AND PARÁLLE, ROUS OF SUDO OR STANDARREID SIDDS, AS FOLICUS, A VERTICALLY AT THE CELING AND FLOOR LEVEL HORIZONTALLY AT NIERVAJS NOT DICCEDING OF FRET
- THE EDULPHIST ROUGH-196 AS SHOWN ARE EARDD HERN AVAILABLE REPORTATION, HORRIFER NOW BY SHARES, HE OWER OR SHELL HER HAVE ABBRICANED OR HE BERTHER HE SHELL H
- YEARY WITHE OWER CONCERNING ALL BOURYENT BEFORE ORDERING I ROUGHING ARE COMPLETED I GYP BOARD IS INSTALLED SHEET ALFOR THE FINISH NOTES 4 TATERAL LEGEND.
- 6. SEE SHEET AT FOR THE DOOR SCHEDULE 1994. DOORS SHALL DE INSTALLED A MIN, OF 4 1/2" AUAY FROM THE PERFENDICULAR WALL, FOR CLOSETS, THE DOOR SHALL DE CENTERED IN THE WALL, INLESS NOTED OTHERWISE.
- THERE SHALL BE A ROOM OR LANDING ON BOTH SIDES OF ALL DOOMS. SHOTH DOOM OR LANDING SHALL BE 1 THE SHAE BLEVATION ON PACH SHORD ON THE DOOM, LANDINGS SHALL BE LEVEL BOZEPT FOR THE BOTHROW LANDINGS WHICH ARE PERSTITED TO HAVE A SLOPE NOT BOZEEDING 1809.
- PREPARE 8.46 TO RECRIFE PRUP MATERIAL TO NATURE FLOOR PATCH, LEPIELING LEAVING TEXT OF CHEME FINAL PRUP MALPIA-DURIENTE RECOMPENDATION FOR REVIEWES IN FLANSES IT ALL SE REPAIRED I PATCHED AS NEEDED, USE QUICK DRYNG CONCRETE FUX FOR 8.46 REPAIR LUDRY, AS REQUIRED, COORD, UF THE BUILDING OWNER.

- ALL PAIGH COLOR OF THE DOOR HARDWARE, CABNET HARDWARE, LIGHT FIXTURES 4 ANY YETAL FINSH SHALL MATCH, COORDINAT IN THE QUIER.
- ALL OF HE PIRMY DOORS SHALL RETURN INCOMED HER) HE REVICES OCCUPIEDT. HE EXPRESS LOCKING PRIVILE RESPONSE AND HE DOTAINS BEFORE THE STORM AND FORE OF HE DOTAINS BEFORE SHALL HE HAVE BE INLOCK FROM THE ASSIDE AND FORE OF HE DOORS HES DOORS HE DOORS HES DOORS HES DOORS HES DOORS HES DOORS HES DOORS HES DOOR
- SEE ENLARGED TOILET PLANS SHEET A6 FOR TOILET ACCESSORIES THE CONTRACTOR SHALL PROVIDE AN ADA-APPROVED WALL SIGN FOR EACH OF THE TOILET ROOMS. SEE DETAIL ON THE ACCESSIBILITY SHEET.

- THE CONTRACTOR SHALL PROVIDE AN ADA-APPROVED WALL TACTILE EXIT SIGN FOR EACH EXIT DOOR OF THE SPACE. SEE DETAIL ON ACCESSIBILITY SHEET.
- THE ACCESSIBLITY SHEET NITHS SET SHALL TAKE PRECEDENT OVER ALL OTHER SHEETS. SEE ACCESSIBLITY SHEET FOR ALL REQUIREMENTS. ALL OF THE ENTRY 4 EXIT DOORS SHALL RETIANED UNLOCK WHEN THE SPACE IS OCCUPIED. ALL OF THE ESPESS DOORS SHALL BE READLY OPERABLE PROY THE ESPESS SIDE WI OUT THE USE OF A KEY OR SPECIAL KNOWLEDGE OR EPFORT.
- THE COSE DESSUE IN DILLIDASE IN COLPANT GROUP "I" HAVING AN COLPANT LOUD OF 500 OR LEAVE GOODING IN THE THE COSE DESSUES IN DILLIDASE IN COLPAND IN THE COSE OF TH
- 26. ALL CONTRACTORS SHALL OBTAIN A COMPLETE SET OF PLANS 4 BE FAMILIAR WITHE ENTIRE PROJECT IN ORDER TO INCERSTAND THE COMPLETE SCOPE OF THE PROJECT. THE OPTIONAL NELLATION YATERIAL CONCEANED WITH THE MALLS SALL HAVE A BLACK SPREAD RATING OF TO ONLINES. THE SPOKE DEPLACEMENT RATING SHALE BE 450 OR ITEMS. THE THE PLACE DEPLACEMENT FASTION SHALE BE 450 OR BEAST INSTITUTION ABOVE THE CELLINES AS PRICATED IN THE PLACE DEPLACEMENT OF THE CELLINES AS PRICATED FOR SOAND.

REVISION DATES:

OCTOBER 17, 2023

- 29. MAINTAIN CLEAN WORK SITE ON A DAILY BASIS.
- ORIGO PI REGISTROTI, INSTO IN THE GIGHTRY CONDUCTE SHALL SE PROVIDED OF THE GREEKLE, CONSTITUTION, ALL GIGHTRY CONSTITUTION FOR CONSTITUTION FOR THE CONSTITUTION FOR THE PROVIDED FOR THE CONSTITUTION FOR THE PROVIDE CON
- ARCHITECT IN NOT RESPONSELE TO UNCOME INVESTIGATE ENAMER THEI, MALYTE OF PRESENT PERIODS TO PITIGATE OF COMMENTATION OF THE PROPERTY OF THE PR
- REUSE INTERIOR DOORS IF POSSIBLE, FIELD VERFY CONDITION & COORD. III/ OWNER.
- UNDOU SILL 17 IMALL W PLASTIC LAM FRIGH APPROX 8 3/4" DEEP SHOULD BE REPLACED IN AREAS NEEDED, FIELD YERFY WOUNER TO DETERMINE LOCATION, (APPROX 25% NEEDS TO BE REPLACED)

THE EXISTING BULDING SHALL HAVE A SPRINLER SYSTEM. SPRINLER SYSTEM SHALL BE DESCRIED BY A CERTHED SPRINLER CONTRACTOR. PRINKLER SYSTEM NOTES

SPRINGER CONTRACTOR SHALL SIGNIT FOR SPRINGER REBATT & SHALL BE RESPONSIBLE FOR ALL REQUIRED INSPECTIONS. CONSTRUCTION DRAWNGS OR SHOP DRAWNGS, OR BOTH, FOR THE INSTALLATION OF FRE PROTECTION SYSTEMS SHALL BE SIBMITED TO INCIDET CONFORMACE TO SECTION 933312 OF THE ODE A SHALL BE REVENED BY THE BILLIONS DEPARTMENT PRIOR TO ISSUANCE OF A PENNT REVENED BY THE BILLIONS DEPARTMENT PRIOR TO ISSUANCE OF A PENNT REVENED BY THE BILLIONS DEPARTMENT PRIOR TO ISSUANCE OF A PENNT REVENED BY THE BILLIONS DEPARTMENT PRIOR TO ISSUANCE OF A PENNT REVENED BY THE BILLIONS DEPARTMENT PRIOR TO ISSUANCE OF A PENNT REVENED BY THE BILLIONS DEPARTMENT PRIOR TO ISSUANCE OF A PENNT REVENED BY THE BILLIONS DEPARTMENT PRIOR TO ISSUANCE OF A PENNT REVENED BY THE BILLIONS DEPARTMENT PRIOR TO ISSUANCE OF A PENNT REVENED BY THE BILLIONS DEPARTMENT PRIOR TO ISSUANCE OF A PENNT REVENED BY THE BILLIONS DEPARTMENT PRIOR TO ISSUANCE OF A PENNT REVENED BY THE BILLIONS DEPARTMENT PRIOR TO ISSUANCE OF A PENNT REVENED BY THE BILLIONS DEPARTMENT PRIOR TO ISSUANCE OF A PENNT PRIOR TO THE BY TH SYRMALER CONTRACTOR SHALL COORD. W/ THE WALL CONSTRUCTION, OTHER ARCHITECT & OWNER COORD. W/ THE WALL CONSTRUCTION, CELNOS & LIGHTING PLAN

(2) 5

ONSTRUCTION


475 Village Park Dr. Powell, Ohio 43065-9178 Office: 614-791-1200 Mobile: 614-271-8420 jclarke@clarkearchitects.com

PROJECT: PROJECT NUMBER

VISTA COMMUNTY CHURCH 5626 FRANTZ RD. DUBLIN, OHIO 43017

SHEET TITLES

PLAN NOTES/CABINET ELEVATIONS



FIRST FLOOR REFLECTED CELLING PLAN

VISTA COMMUNTY CHURCH 5626 FRANTZ RD. DUBLIN, OHIO 43017

REVISION DATES: OCTOBER 17, 2022


REVIEW SET –


A75 VIIIQUE POR DIVIDE POR DIVIDE SEA 279-1200

MODIFIC SEA 279-1200

MODI REVIEW SET NOT FOR







SECOND FLOOR REFLECTED CELING PLAN

VISTA COMMUNITY CHURCH 5626 FRANTZ RD. DUBLIN, OHO 43017

PROJECT:

SHEET TITLE


REVISION DATES:

OCTOBER 17, 2022

REVIEW SET NOT FOR
CONSTRUCTION

CLARK ARCHITCHS
POWD 1000 POK D.
POWD 1 REVIEW SET





A6

FIRST FLOOR OCCUPANCY PLAN DUBLIN, OHIO 43017

PROJECT NAMES: CARGODS


SHEET TITLE

VISTA COMMUNITY CHURCH 5626 FRANTZ RD. DUBLIN OHIO 43017 respect to the Project and uless an expect to the accordance for the Accordance and shall reach all common law control of the Accordance for the A

REVIEW SET -NOT FOR CONSTRUCTION

CLARKE ARCHITECTS, NC.

475 Village Park Dr.
Powel, Ohio 43065-9778
Office: 614-791-6200
Mobile: 64-791-6420
Ichaeled Chied Chiedeles Company



A7

SECOND FLOOR OCCUPANCY PLAN PROJECT NAMES CARGODS
SHEET TITLE

VISTA COMMUNITY CHURCH 5626 FRANTZ RD. DUBLIN, OHO 43017

PROJECT:


REVISION DATES:


respects by China Apprised Nr. are impered by China Apprised Nr. are impered to the impered to the second to the apprise and under a china provided China Aprised to the apprise of the apprised China Apprised Nr. and the apprised Nr. and and the apprised Nr. and

REVIEW SET - NOT FOR CONSTRUCTION

CLARKE ARCHITECTS, NC.

475 VIlloge Park Dr.
Powel, Ohio 43065-9778
Office: 614-791-6200
Mobile: 64-791-6420
Individual Chiestoffice Star 271-6420
Individual Chiestoffice Star 271-6420
Individual Chiestoffice Star 271-6420





0

3333

0

0

3353

(2)

0 0

ð 0

) (<u>E</u>)

PLUMBING NOTES

- WATER & DRAIN PIPES UNDER LAVATORIES SHALL BE NSULATED OR REWISE COVERED. THERE SHALL BE NO SHARP OR ABRASIVE SURFACE INDER ATORIES.
- 4. FALCET CONTROLLS 1 OPERATNO HECHANISHS SHALL BE OPERABLE IF OR HAND 1
 FOR THE MERCHANISH THAT CROSSING PRODUCE OF THE MERCH. THE
 FAULT BY OFFICE SHALL BE ON ALCERTAGE BRISON SELF CLOSES CALVES ARE ALLODED FINE
 FAULT BY OFFICE SHALL BRISON SELF CLOSES CALVES ARE ALLODED FINE
 FAULT BY OFFICE SHALL BRISON SELF CLOSES CALVES ARE ALLODED FINE
 FAULT BY OFFICE SHALL BY ON THE MUTE SPICE OF ROOM IN ALL TO HET STALLS.

 1. REPORTS SHALL BE MONTED UN BOTTON EDGE NOT MORE THAN 40° FROM THE
 FACORS SHALL BE MONTED UN BOTTON EDGE NOT MORE THAN 40° FROM THE
 FACORS. LOCATE TOILET 1188UE DISPENSERS ON THE WALL WITHIN 12" OF THE PRONT EDGE OF THE TOILET SEAT.

- PROVIDE A 8691 OUTSIDE OF EACH RESTROOM NUICATING THE SEX FOR EACH RESTROOM 1 THAT IT IS ADA COMPLIANT PER OBC 25022 THE EDUPPENT ROCALTION AS SHOWN ARE MAKED DEPO AVAILABLE ROCALTION FOR THE PROPERTY OF THE PROPERTY NOTES THE CONTRACTOR HE COUNTY OF THE PROPERTY OF THE CONTRACTOR SHALL REFER THE CONTRACTOR SHOWN THE COUNTY ROCAL THE CONTRACTOR SHALL REFER THE CONTRACTOR TO REFET THESE DEPOSITION OF THE REFET THE RE IXTURES TYPE SPECED ON PLUYBING DRAWINGS, COORDINATE WITHE OWER METORE OFFICERING.
- ** ALL PLUMBING ACCESSORES SHALL BE INSTALLED IN ACCORDANCE W/ MANUFACTURER'S SPECIFICATIONS. A3 36' GRAB BAR - MOUNT 6' AWAY FROM CORNER ALTERNATE PLUMBING ACCESSORIES MAY BE SUBSTITUTED W/ OWNER APPROVAL 16" GRAB BAR, VERTICAL - MOUNT 40" AWAY FROM CORNER @ 8. THE BOTTOM EXHAUST FAN - SEE MECH SHEETS COAT HOOK/DOOR STOP SURFACE MOUNTED TOLLET TISSUE DISPENSER SINGLE ROLL - 36" MAX. FROM REAR WALL 42' GRAB BAR - MOUNT 12' AWAY FROM CORNER (•) DESCRIPTION EXIST, MOP SINK - VERFY IN GOOD CONDITION FOR REUSE € @ 3'-0" AFF BOTTOM @ 3'-4' AFF, MAX € @ 3'-0" AFF TOP ⊕ 2'-8" AFF MOUNTING HEIGHT CELING MOUNTED MOUNT CENTERLINE 48" AFF BOTTOM @ 3'-4"



(F) (O)

(±)

Į X	FIX TURE/ ACCESSORES SCHEDULE
NO.	NO. OESCRIPTION
>	ADA TOLET - SEE PLIMBING SHEETS
8	ADA LAVATORY (COUNTER TOP) - SEE PLUMBING SHEET
n	EXST. URNAL - VERFY N GOOD CONDITION FOR REUSE

D HAND SINK - SEE

_			
			7
			KEV IS
			~
			ç
			=
			DATES
			_
			- 07
			9,

DATE	respect to the otherwise pro- brail be deem documents and statutory and neutrings, spentially and be under project or for your orders. No	netruments of
OCTOBER 17, 2	sepect to the Project and unless will use a Provides to the a Provides will use a Provides to the a Provides to the Provides to the a Provides to the Provides to the Provides to the Provides to the April 18 to the top the Provides to the April 18 to the top the State of the April 18 to the Provides the Project for addition of the Project of the April 18 to the April 18 to the Project of the April 18 to the April 18 to the Project of the April 18 to the April 18 to the Project of the April 18 to the April	prepared by Clarke Architecta Inc. are natrumenta of service for use solety with

9

<u>\</u>) (2) (3)



\$\$\$\$

0

Ø

€

SHEET NUMBER

ENLARGED TOILET PLANS/ DETAILS

SHEET TITLE

VISTA COMMUNITY CHURCH 5626 FRANTZ RD. DUBLIN, OHIO 43017

see Drawings and Specifications

9/16" VARIES 1 15/16"

DOOR ELEV. Ð

FRAME PROFILES

A9 NT.S. **(>**

A) FRAME ELEVATIONS

DETAILS A9 1 1/2' • 1-0'

A JAMB

GENERAL DOOR NOTES COORDINATE OPENINGS 4 FRATING III/ CONTRACTOR BEFORE NOTALLATION OF DOORS

- ALL NITEROR DOORS SHALL BE ILDOD SOLID CORE FLUSH PARE, STAN GRADE IN ARES NOTED OFFERINER DOOR FRUSH DETAILS SHALL BE SELECTED BY CHARE THE DOOR FRANTS SHALL BE HOLD WITE ALL COORD IN CHARE BEFORE PLECHASING FROM THRES STANDARDS. ALL HARDWARE SHALL COMPLY WITHE LATEST REQUIREMENTS OF ANSI
- SEE THE BLDG FLAN SHEETS FOR THE EXACT COUNT, SUNG 4 LOCATION OF DOORS REGID ALL HARDWARE FINISH, MATERIAL, KEYING & RINCTION SHALL BE COORDINATED WITHE OWNER
- CONTRACTOR SHALL COORD. ALL HARDWARE RINCTION. SCHEDULE, PURPORE, ETC. W OWER BEFORE SHOP DRAWNGS, ONDERING & INSTALLATION.
- ALL REQUIRED EXITS SHALL BE ACCESSIBLE 4 HAVE ACCESSIBLE HARDWARE
- ALL TEAN OF EXPRESS SHALL BE READY TO PREVAILE RROYT THE BOTH RROY HALL EXPRESS SHOULD BE TADE WITHOUT THE USE OF A CONCESS DUCKNOWN DEVICE SHALL BE DISTRIBUTED AND THE DISTRIBUTED AND T
- PROVIDE THREE SLENCERS ON ALL HY DOOR FRANES INSTALLED ON LATCH SIDE OF FRANES.

- ALL OF THE BUTRY DOORS SHALL RETIAN UNLOCK UPEN THE BRANCE IS COCKINED. THE EXCRESS LOCKING LOCKING LOCKING DEVICE SHALL BE SHALL ALLIMATS BE INLOCK ROOT THE INSIDE OR PLANC LACKING. A COMMENSING PROCESSORY OF THE RESIDENCE HERO COMPANY AND CONTRACT OF THE RESIDENCE HERO CONT

DOOR, HARDWARE & FRAME SCHEDULE

14. INTERIOR HY FRAMES SHALL BE 16 GA WRAP AROUND, WELDED OR KNOCK DOWN TYPE THE CONTRACTOR HAS THE RIGHT TO SUBSTITUTE THE
THANKACTUREN OF THE HAPPUMRE AS LOVE AS THE HAPPUMRE
THETS OR EXCELDS THE DESIGN REQUIREMENTS AS NOICHTED.
PROVIDE CAT SHEETS TO THE COMER FOR APPROVAL PROPERTY
SUBSTITUTION.

HARDWARE MFG. NORTON, 8301 W HEAVY-DUTY ARMS, OR APPROVED EQUAL HAGER CO, BBI219, 4 1/2" OR APPROVED EQUAL HARDWARE KEY A 112 PR HEAVY DUTY TATPER PROOF BB HINGES B. 112 PR HEAVY DUTY BALL BEARNS HINGES

- OFFICE LOCK SET LEVER ENTRANCE LOCK SET - LEVER PANIC BAR EGRESS HARDW
- PA89AGE LATCH 95T LEVER
 PRIVACY LOCK 95T LEVER
 REHOTE RELEASE 'BUZZ-N' MAGNETIC LOCK
- ROUND PUBH/PULL BET

HAGER CO, MODEL *52D-V-B", OR APPROVED EQUAL. COORDINATE FINISH III DUNER SCHLAGE, D SERRES, ATHENS STYLE MODEL! 60% OR APPROVED EQUAL

- PUSH PLATE
- DOOR STOP WALL MOUNTED
- HANDICAP ALUMINUM THRESHOLD BOTTOM DOOR BUEEP WEATHER STRIPPING
- TRIMLESS DOOR FRAME W/ CONCEALED HINGE 4 FUSH BUTTON LATCH

DOOR STOP,

AGER CO., 234111 OR APPROVED EQUAL

STRAGAL:

HRESHOLD:

PENKO, BADDLE THREBHOLD, MODEL ITIA OR APPROVED EQUAL

PENKO MODEL* 216BDCRG, OR APPROVED PEMKO MODEL* 18062CP, OR APPROVED NEELCRAFT "Z" SHAPE, OR APPROVED PUSH PLATE:

HAGER CO, MODEL 1807, 6"X16", OR APPROVED EQUAL COORDINATE FNISH III SUNER

HAGER CO, MODEL *ØL, 12", OR APPROVED EQUAL. COORDINATE FINISH W/OWNER.

EACH SIDE BOST, ALLIA DOOG & FRAME, YESPY N GOOD CONDITION FOR RINEE DEST, HAN AND ROTT. F RECLIED, SEPACE SAME SEE F RECHEED, REPLACE SAME SEE F RECHEED, REPLACE SAME SEE EXST. WOOD DR & WOOD FRAME, VERFY N GOOD CONDITION FOR REUSE EXST. WOOD DR & HAI FRAME, VERBY N GOOD CONDITION FOR RELIKE

DOOR REMARKS

Year 1344 WOOD WARP Year		3A/A9								2207
		3A/A9	2A/A9	¥			1A/A9	MOOD	3-0' x 7-0' x 1 3/4'	728A
		3A/A9	2A/A9	H			1A/A9	WOOD	3'-0" x 7'-0" x 1 3/4"	227A
		3A/A9	2A/A9	₹			1	GLASS	3-0" x 7-0" x 1 3/4"	226A
		3A/A9	2A/A9	ž			1A/A9	WOOD	3-0° x 7-0° x 13/4°	225A
		3A/A9	2A/A9	WH			1A/A9	MOOD	7 0	224A
	N A	3A/A9	2A/A9	WOOD			1A/A9	WOOD	× 7-0° ×	223A
		3A/A9	4	₹			1A/A9	WOOD	3-0° x 7-0° x 13/4°	
		3A/A9		WH			1A/A9	MOOD	3'-0" x 7'-0" x 1 3/4"	22IA
		3A/A9		ž			WA9	WOOD	3-0" x 7-0" x 1 3/4"	
		3A/A9		¥			1A/A9	WOOD	3'-0" x 7'-0" x 13/4"	
		3A/A9		¥				GLASS	3'-0" x 7'-0" x 1 3/4"	
		3A/A9	2A/A9	ž			WA9	WOOD	3-0" x 7-0" x 13/4"	
		3A/A9	ZA/A9	H.			1A/A9	WOOD	3-0' x /-0' x 1 3/4'	A/B/Z
	8	34/47	2M/MY	W			WW	WOO	3-0 x /-0 x 1 3/4	71/7
	5 1	30/07	20000	1000			200	1000	2 X X X X X X X X X X X X X X X X X X X	2 6
		20.000	4	1			4 /40	1000	20: 70: 40/4	- 1
		34/49	4	1			10/00	w coo	PD 3-01 v 7-01 v 13/4	١.
	Z.	34/40	4	w COOW			10/00	8 E	2-0" v 7-0" v 1 3/4"	2
	E	34/40	4	WOO			1A/A0	W SS	3-0" v 7-0" v 1 3/4"	
	Z.	3A/A9	_	WOOD			1A/A9	W000	3-0" x 7-0" x 13/4"	
	N A	3A/A9		WOOD			1A/A9	MOOD	3'-0" x 7'-0" x 1 3/4"	
	NA.	3A/A9	L	WOOD			1A/A9	WOOD	3-0 × 7-0 × 13/4	208A
	Z.	3A/A9	L	WOOD			1A/A9	WOOD	3'-0" x 7'-0" x 1 3/4"	206A
	N	SAVAY	ZAVAY	HM.			WAY	WOOD	3-0' x /-0' x 1 3/4"	AGU2
A	5	200					2	3	200	3
		30/00	20/00	Ē			10/00	3	00 2 0 0 7 0 0 1 2/4	3
		3A/A9	2A/A9	₹			1A/A9	WOOD	× 7-0	2048
A MAN	1	3A/A9	2A/A9	₹			1A/A9	WOOD	PR 3'-0" x 7'-0" x 1 3/4"	-1
	N4	3A/A9	2A/A9	doom			W/A9	MOOD	3-0 × 7-0 × 13/4	
A		3A/A9	2A/A9	WH			1A/A9	MOOD	3'-0" x 7'-0" x 1 3/4"	
A		3A/A9	2A/A9	¥			1A/A9	WOOD	PR 3'-0" x 7'-0" x 1 3/4"	202A
A ALAM	చ	3A/A9	2A/A9	₹			TA/A9	WOOD	3-0 × 7-0 × 13/4	200A
A										
A MAN	N	SAVAY	ZA/AY	HM.			WAY	WOOD	3-0' x /-0' x 1 3/4"	NISIA
A MAN	5	ON/A7	200000	100			200	WOOD	TR 3 0 X / 0 X 3/4	Š
A	†	24/40	20.000	2			4 /40	3	000000000000000000000000000000000000000	ğ
		34/40	24/40	Ē			14/40	WOOD	PD 3'-0" v 7'-0" v 1 3//4"	AGE:
March Marc	3	!	4	ALIM			1	ALIM	3-0" x 7-0" x 1 3/4"	9
A	జ	3A/A9		₹			WA9	WOOD	3-0" x 7-0" x 1 3/4"	
Major Majo	N3	3A/A9		Ŧ.			1A/A9	WOOD	3'-0" x 7'-0" x 1 3/4"	128A
A MAN	వ	3A/A9	L	ž			WA9	WOOD	3-0" x 7-0" x 1 3/4"	
## AUM	Z	3A/A9	L	ž			W/A9	WOOD	3-0" x 7-0" x 13/4"	
	3	SAVAY	L	HW.			WAY	WOOD	3-0 x /-0 x 13/4	
## AUM	8	SWAY	CW/WA	1			WW	100	3-0 × /-0 × 1 3/4	12.40
## AUM	5 8	20,000	20,000	W 000			1 2	300	20:10:10:1	3 5
## AUM	5	24/40	20/00	COOM			10.00	W 1	2.0 . 7.0	3 1
## AUM	చ	3A/A9	2A/A9	₹			1A/A9	WOOD	3-0" x 7-0" x 13/4"	123A
## AUM	ಪ	3A/A9	2A/A9	ž			1A/A9	WOOD	× 7-0°	122A
## AUM	N3	3A/A9	2A/A9	WH			1A/A9	DOOM	3-0 x 7-0 x 13/4	1208
## AUM	Z	1	-	ALUM			1	ALUM	3'-0" x 7'-0" x 1 3/4"	120A
## AUM	3	1	1	ALUM			1	ALUM	3'-0" x 7'-0" x 1 3/4"	ı
## AUM	Z	3A/A9	2A/A9	H.			W/A9	WOOD	3-0" x 7-0" x 13/4"	
## MANO	3	SAVAY	2A/AY	W			WAY	WOOD	3-U x /-U x 1 3/4	
## AUM	5	200	2000				1	3	2 2 2 2 2 2 2 2 2 2 2 2 2 2 2 2 2 2 2 2	
## AUM		34/40	2A/A9	Ē			1A/A0	W SS	P0 4-0" × 7-0" × 1 3/4"	\$
## AUM		3A/A9	2A/A9	ž			1A/A9	W008	PR 4-0 × 7-0 × 13/4	ਲੈ
## AUM	చ	3A/A9	2A/A9	¥			W/A9	WOOD	PR 3'-0" x 7'-0" x 1 3/4"	18 8
## AUM	æ	3A/A9	ZA/A9	H			WAY	WOOD	3-0" x 7-0" x 13/4"	188
## AUM	3	SWAY	CW/WA	150			2	WOOD	3-0 × /-0 × 1 3/4	8
## MOOD 14/49 HM 24/49 34/49 ## WOOD 14/49 HM 24/49 34/49	5 8	200	4				100	1000		
## AUM	2	34/46	4	E			1A/A9	W S	BO 3'-0" × 7'-0" × 1 3/4"	1174
## MOOD 14/49 HM 24/49 34/49 ## MOOD 14/49 HM 24/49 ## MOOD 14/49 HM 2	ಹ	3A/A9	4	ž			1A/A9	W000	3'-0" x 7'-0" x 1 3/4"	- 1
A A A A A A A A A A A A A	చ	3A/A9		₹			TA/A9	WOOD	3-0" x 7-0" x 1 3/4"	
# ALM	N3	3A/A9		HM			1A/A9	WOOD	3'-0" x 7'-0" x 13/4"	114A
A ALM	æ	3A/A9	L	ž			WAY	WOOD	3-0 × /-0 × 13/4	13A
# ALM ALM # WOOD W/AP HM 2/A/A9 3/A/A9	3	3WWY	Ļ	H.			2	WOOD	3-0 × /-0 × 1 3/4	Š
AUM	5 8	200	200	MI				WOOD	3-0 x 7-0 x 1-3/4	-
AUM	5	20/00	20/00				1A/A0	100	20: 20: 10:4	
AUM	5	34/40	2A/A9	Ē			1A/A9	8	3-0" × 7-0" × 1 3/4"	B
ALM		3A/A9	2A/A9	Ŧ			1A/A9	WOOD	3-0" x 7-0" x 13/4"	- 1
AUM	Z	1		ALUM			1	ALUM	PR 3'-0" x 7'-0" x 1 3/4"	109A
ALM		3A/A9	L	ž			1A/A9	WOOD	3'-0" x 7'-0" x 1 3/4"	ľ
MAN	l	SAVAY	L	ž			WW	WOOD	3-0° × 7-0° × 13/4°	1.
AUM	Ì	34/47	1	1			2	300	3-0 x /-0 x 3/4	11
AUM	t	34/40	4	E :			1A/A0	W 100	20 0 70 0 12/4	5
AUM	1	3A/A9	4	₹			1A/A9	W000	3'-0" x 7'-0" x 1 3/4"	Ř
MANUAL M	జ	3A/A9	2A/A9	ž			TA/A9	WOOD	3-0" x 7-0" x 1 3/4"	Ø,
ALIM — ALIM — — — — — — — — — — — — — — — — — — —	N2	1		¥			ı	¥	3-0" x 7-0" x 1 3/4"	102A
ALIM ALIM		3A/A9	L	₹			1A/A9	WOOD	PR 3'-0" x 7'-0" x 1 3/4"	8
ALIM ALIM		3A/A9	L	₹			W/A9	WOOD	PR 3'-0" x 7'-0" x 13/4"	1008
200 1 100 100 100 100 100 100 100 100 10	3	1	-	ALUM			1	VLUM	FR 3-0 × 1 · · · · · · · · ·	1001
									TANK A LIFE A LIFE A LIKE	ALL
MATERIAL ELEV KA I I NO NAKU WAKE MATERIAL PROFILE	_						Ш	A I		8
HADDWADE - KANE	-		PROFILE	MATERIAL	TAKUWARE	KAING	- 11 1	MATERIAL ELEV	7-0" x 1 3/4"	8 8

SHEET NUMBER

DOOR SCHEDULE/NOTES

SHEET TITLE

VISTA COMMUNTY CHURCH 5626 FRANTZ RD. DUBLIN, OHIO 43017

PROJECT:

REVISION DATES:

OCTOBER 17, 2022

ONSTRUCTION

475 Village Park Dr. Powell, Ohio 43065-9178 Office: 614-791-1200 Mobile: 614-271-8420 jolarke@clarkearchitects.com

CLARKE ARCHITECTS, NC.

ACCESSIBILITY NOTES

SIGNAL SEPANSIA CHE COMPANIO PROMOTION OF THE CONTRIBUTION OF THE GENERAL: ALL HANDRALE), GRAED BARG), 4 TUB 4 SHOUER SEATS REQUIRE TO BE ACCESSIBLE SHALL COMPLY W/ANSI.

Sections where the present of each product is seen in section to the product of t

ELITINATINS HAZAROS, A HAVDRALL DR GRAB BLAF ANT IMALL OR OTHER SURFACE ADJACENT TO IT SHALL BE FREED OF ANY BUARD OR ABRASINE ELEMENTS, EDGES SHALL HAVE A MININAM RADIUS OF 1/8".

PROTRUDING OBJECTS:

LO TIMAN GITTO DE ALGENTITA L'ELEMENDE LEBENON GITTO DE LEBONATA PER PROPERTA DE L'ARGENTITA DE

SPACE ALLOWANCE AND REACH RANGES:

UDTH FOR WHEELCHAIR PASSING, THE MINITH WIDTH FOR TWO PHEELCHAIRS TO PASS IS 60 R. Heelchair turning space; the space reguired for a imeelchair to yake a so-degree turn is a clear space of 60 in diameter or a chapted space. CHAIR PASSAGE WIDTH, THE MINIMAY CLEAR WIDTH FOR SINGLE CHAIR PASSAGE SHALL BE 32 N AT A POINT AND 36 N

LEIGHA TOMO ROS ROMODO DE MATERIO REPUBLICAROS. DEL ROCIO DE LOS RECUESTOS DE ROCIO DE R

ERLA MICHIEL DE MARIATERIA CILEMANTE TO MERICALIR, RÉMERA ONE RILL INSESTINCTED DES CPI HE CLEUR FLOOR DE ACADO SPACE PER LIMETICALIR SILLI, ADDIN OR OVERLA DE MACCESSILLE ROUTE OR ADDINI MACHIEL MELICALIR CILLIR DOCUMENTO SPACE DE ACILIA PROCESSI SPACE SI DUCATED NI MALCONE OR CHIERUSE CORPRED ON ALL OR PARE OF THESE DESSE.

SINGLADE FOR METELONINE REPORTED CHAPTER TOOK OF GROUND PRACES
FOR METELONINES SHALL COPIETY, MITT IN FORMATO BEAUTH FIRE
THE PANACH THAT FORMATO REALY ALLOUED SHALL BE AN INTE
THE PANACH THAT FORMATO REALY ALLOUED SHALL BE AN INTE
THE PANACH THAT FORMATO REALY ALLOUED SHALL BE AN INTE
THE PANACH THAT FORMATO REALY ALLOUED SHALL BE AN INTE
THE PANACH THAT FORMATO REALY ALLOUED SHALL BE AN INTE
THE PANACH THAT FORMATO REALY ALLOUED SHALL BE AN INTE
THE PANACH THAT FORMATO REALY ALLOUED SHALL BE AN INTE
THE PANACH THAT FORMATO REALY ALLOUED SHALL BE AN INTE
THE PANACH THAT FORMATO REALY ALLOUED SHALL BE AN INTE
THE PANACH THAT FORMATO REALY ALLOUED SHALL BE AN INTE
THE PANACH THAT FORMATO REALY ALLOUED SHALL BE AN INTE
THE PANACH THAT FORMATO REALY ALLOUED SHALL BE AN INTE
THE PANACH THAT FORMATO REALY ALLOUED SHALL BE AN INTE
THE PANACH THAT FORMATO REALY ALLOUED SHALL BE AN INTE
THE PANACH THAT FORMATO REALY ALLOUED SHALL BE AN INTE
THE PANACH THAT FORMATO REALY ALLOUED SHALL BE AN INTE
THE PANACH THAT FORMATO REALY ALLOUED SHALL BE AN INTE
THE PANACH THAT FORMATO REALY ALLOUED SHALL BE AN INTE
THE PANACH THAT FORMATO REALY ALLOUED SHALL BE AN INTE
THE PANACH THAT FORMATO REALY ALLOUED SHALL BE AN INTE
THE PANACH THAT FORMATO REALY ALLOUED SHALL BE AN INTE
THE PANACH THAT FORMATO REALY ALLOUED SHALL BE AN INTE
THE PANACH THAT FORMATO REALY ALLOUED SHALL BE AND THAT FORMATO REALY BE AND THAT FORMATO REALY BE AND THAT FORMATO REALY BE AND THAT FORMATOR THAT FORMATO REALY BE AND THAT FORMATOR THAT FORMATOR

SIDE REACH IF THE CLEAR FLOOR SPACE ALLOWS PARALLEL APPROACH BY A PERSON IN A WHELCHAIR, THE MAXIMUM HIGH SIDE REACH ALLOWED SHALL BE SUN AND THE LOW SIDE REACH SHALL BE NO LESS THAN 9 IN ABOVE THE FLOOR.

GROUND AND FLOOR SURFACES:

CALMANDEN, N. IEMEL, CHANANDEN, IEMEL IN TO IA NINAT PER PERIODA, AND WILL DE EDRETED WITH A SLOPE NO GREATER THAN IS CHANANDEN NEMAL DE DESTREEN INAN AND IS SHALL DE EDRETED WITH A SLOPE NO GREATER THAN IS CHANANDEN N ENTRE GREATER THAN IS N SHALL DE ACCOPTLIGHED DIT TELANS OF A RAYER. GENERAL: GROAND AND FLOOR SURFACES ALONG ACCESSIBLE ROUTES AND IN ACCESSIBLE ROOMS AND SPACES INCLIDING FLOORS, MALKS, RAYPES, STARS, AND CURB RAYPES, SHALL BE STABLE, FIRM, SLIP-RESISTANT.

CARRELL FOWERL OR CARRELL BE GROUP OF A MONAN OR FLOOR SERVICE BY ON THE RECORD THAT THE CARROLL BY A MONAN OR FLOOR SERVICE BY ON THE SERVICE BY ON THE FLOOR SERVICE BY ON THE SER

SEATINGS, HE GRATINGS ARE LOCATED IN LIMITAGE SUPEACES THEN THEY WALL HAVE SHACES NO GREATER THAN TO RUIDE IN ORE DIRECTION, IS SPATINGS HAVE ELOKALTED OPENINGS, THEN THEY SHALL BE PLACED SHALL THE LOKE DIPERSION IS PERFERDICILAR TO THE DOWNANT DIRECTION OF TRANSLE.

GLEAR MEDIA DOCAMANO SHALL HANE A MINETY CLEAR OFFENS OF 33 M.
(8) PHO HIT HE DOCAMANO SHALL HANE A MINETY CLEAR OFFENS OF 33 M.
(8) PHO HIT HE DOCAMANO SHALL HANE A MINETY CLEAR OFFENS OF 34 M.
(8) PHO HIT HE DOCAMANO SHALL HANE A MINETY CLEAR OFFENS OF GENERAL: DOORS REQUIRED TO BE ACCESSIBLE BY 4.1 SHALL COMPLY UITH THE REQUIREMENTS OF 4.13.

TAMENJERNÁ GLEJANICER AT DODRÍM, "NEVAT HANDIVERNÁ LEJANICER DE LOCORO INA IN RE SE AL AUTO AN POLITIC DE POLIER MASSI DE LEJANICER DEL LOCARIO INA IN RE SE AL AUTO GLEJA DE POLITICA DE LOCARIO DEL AUTO ALCER CONTRA DE POLITICA DE CONTRA DEL CONTRA (SEL DEPONDE PORT) HE CONTRA DEL DOCARIO (SEL DEPONDE) ANO N. N. N. D. (3) IN THE DOCARIO (SEL DEL CONTRA DEL CONTRA DEL CONTRA (SEL DECENDO IN N. N. N. D. (3) IN THE DOCARIO (SEL DECENDO IN N. N. N. D. (3) IN THE DOCARIO (SEL DECENDO IN N. N. N. D. (3) IN THE DOCARIO (SEL DECENDO IN N. N. N. D. (3) IN THE DOCARIO (SEL DECENDO IN N. N. N. D. (3) IN THE DOCARIO (SEL DECENDO IN N. N. D. (3) IN THE DOCARIO (SEL DECENDO IN N. D. D. (3) IN THE DECENDO IN N. D. (3) IN THE DOCARIO (SEL DECENDO IN N. D. (3) IN THE DECENDO IN THE

DOOR HARDWARE: HANDLES, PALLS, LATCHES, LOCKS, AND OTHER OPERATING DEVICES ON ACCESSIBLE DOORS SHALL HAVE A SHAPE THAT IS NOICATED ON THE DOORS SCHEDULE THERMOLD ALTDORNUM, THERMOLDS AT DORNING SHALL NOT DORNING SHALL NOT DOWN THE AND THE

OTHER CORT WE THANKEN LOCKED AND ADDITIONS OF THE CONTROL OF THE C DADE CLOSES. IF A DOOR HAS A CLOSER THEN THE SHEEP PRINCH OF THE CLOSER SHALL BE CLUSTED SO THAT ROOM AN OPEN POSETING. OF NO DESCREEN, THE DOOR WILL TAKE AT LEAST S RECONDS TO THOSE TO A POINT 3 N TO THY PROFIT HE LATICAL TELASHED TO THE LEADNS EDGE OF THE DOOR.

NTS

NTRANCES ENTRANCES UNION ARE NOT ACCESSIBLE SHALL HAVE DIRECTIONAL SWAAAGE HEICH NDICATES THE LOCATION OF THE NEAREST CICESSIBLE ENTRANCE.

LAGACTER AEGAT, CLASACTERS AND NIVERES ON SIGNS SHALL ER SIZED ACCORDING TO THE VIEWNO SIGNACE RAFOT BUICH THEY ARE TO BE SIGN. THE NIVERTH RESAT IS TREASMED USNS AN IMPRIEN CASE X. LOWER ASSE CLASACTERS ARE FRENTIED. THE AIGHT BUSINED TO NIVERTH PRISHED LOOK CHASACTERS AEGAT SUSPENCED ON PROJECTED 3" LARACTER PROFESTION: LETTERS AND NEWERS ON SIGNS SHALL HAVE AUDITH-TO-HEIGHT RATIO BETUERN 3.5 AND N AND A STROKE-UIDTH-TO-HEIGHT RATIO BETUERN 1.5 AND 1.16.

AND REALLED CHARACTERS AND PROTORMAL STREAM, AND REALLED CHARACTERS AND PROTORMAL STREAM, AND REALLED CHARACTERS AND RECOGNIZION FOR AND REALLED CHARACTERS AND

GRAB BAR DETAIL

MOUNTING HEIGHTS

NT.S.

ALIGN W DOOR

TRANSITION DETAIL

TON CONCINC BENDER SHALL NOTICE OF THE SHALL N

STANDARD OUTLET E

(IIIATT MOINTED) 4.1

FINISHED FLOOR

14. 12.

BEVEL TRIM 8LOPE 1:2 MAX FINISHED FLOOR

* 1

97UD WALLS - TYPICAL

- GRAB BAR SHALL BE 1-1/2" MAX, OUTSIDE DIA:- TYPICA FASTENER PLATE WELDED TO RAIL W/ COVER PLATE ESCUTCHEON

STUD WALL, TYP.

RNBH AND CONTRAST THE CHARACTERS AND BACKGROAND OF 5088
SHALL BE EXCERNIL MATTE, OR OTHER NOV-GLASE RNBH. CHARACTERS
AND INTERQUAS SHALL CONTRAST WITH THER BACKGROAND - EITHERS HOW
ALMOLTERS ON A DARK BACKGROAND OR DARK CHARACTERS ON A
LIGHT BACKGROAND.

SYMBOLS OF ACCESSIBLE SHALL USE THE INTERNATIONAL SYMBOL OF ACCESSIBLE SHALL USE THE INTERNATIONAL SYMBOL OF ACCESSIBLITY. THIS LOCATION AND LEGATIL WHERE PREVAUNCE INDIVIDUAL ON THE CONTROL OF THE CONTRO

TOLLET PLAN

48" MIN. AFT TO LOUEST RAISED BRAILLE 60" MAX. AFT TO BOTTOM OF HIGHEST RAISED CHARACTERS 3. PROVIDE CONTRACTED (GRADE 2)
BRAILLE DIRECTLY NUBER HE TACTILE
CHARACTERS, DOTIO SHALL BE RAISED A MIN
OF 1/40" ABOVE THE BACKGROUND AND
ROUNDED OR DOTED, HORIZONTAL RORVAT. LETTER CHARACTERS SHALL BE RAISED 732" MN. AND SHALL BE SANS SERF IFFERCASE. MN. HEIGHT 5/8" AND MAX. HEIGHT 2". HORIZONTAL FORMAT. 3/8* to

MOUNTING LOCATION FOR SUCH SIGNAGE
AULL BE 80 THAT A PERSON MAY
PERSOACH WITHIN 3' OF SIGNAGE WITHOUT
KOUNTERING PROTRUDING OBJECTS OR
FANDING WITHIN THE SWING OF A DOOR.

TYP. EXIT SIGN DOOR HANDLE, SEE TYP. TOILET ROOM SIGN

PROVIDED, SHALL HAVE PROVIDED, SHALL HAVE AT LEAST & 3-SECOND CLOSING TIME PERIOD PROM 100 OPEN POSITIO 3" FROM LATCH ACCESSIBLE ENTRANCE SIGN - TYP, AT ALL ACCESSIBLE ENTRANCES N S P

48" MN. AFF TO LOWEST RAISED BRAILLE 60" MAX. AFT TO BOTTOM OF HIGHEST RAIGED CHARACTERS

CLARKE ARCHITECTS, NC.

475 Village Park Dr. Powell, Ohio 43065-9178 Office: 614-791-1200 Mobile: 614-271-8420

jclarke@clarkearchitects.com

3. LETTER CHARACTERS SHALL BE RAISED 1/32" MN AND SHALL BE SANS SERF UPPERCASE, MN HEIGHT 5/8" AND MAX HEIGHT 2", HORIZONTAL RORMAT. 2, PICLORATE, BYTHEAU, (PICLORATE/A) SHALL BE ACCOMPANIED BY THE VERBAL DESCRIPTION PLACED DIRECTLY BEION, THE OUTSIDE DIFERSION OF THE PICLORATE FIELD SHALL BE A YIN, OF 6" HIGH. ADE THE UNIVERSAL "WHEELCHAIR" SYMBOLS.

8. POLNTING LOCATION FOR SUCH SIGNAGE SHALL BE SO THAT A FERSON MAY APPROACH WITHIN 3 OF SIGNAGE WITHOUT ENCONTERING PROTRUDING OBJECTS OR STANDING WITHIN THE SUING OF A DOOR. 8, PROVIDE CONTRACTED (SPACE 2) BRAILLE DIRECTLY UNDER THE TACTILE CHARACTERS, DOTS SHALL BE RAISED A TIN OF UAP' ABOYE THE BACKGROUND AND ROUNDED OR DOTED. HORIZONTAL FORTAT. 5. PERMANENT IDENTIFICATION PROVIDED FOR ROOMS AND SPACES SHALL BE NSTALLED ON THE WALL ADJACENT TO THE LATCH SIDE OF THE DOOR. OUBLE-LEAF DOORS, SIGNS SHALL BE PLACED ON THE NEAREST ADJACENT WALL PLARACTERS AND THERE RACKEROAND SHALL HAVE A NOVIGIALE REFURE RACTERS SHALL CONTRAST BUTH THE BACKEROAND EITHER LIGHT CHARACTER DARK BACKEROAND OR DARK CHARACTERS ON LIGHT BACKEROAND.

0 0 DOOR CLEARANCE 32" MIN. CLR OPENING HIN CLEAR FLOOR
SPACE • DOOR
STRIKE SIDE - BLIP REBISTANT BURFACE (*EDIUM BROOM FNISH) CLEAR SPACE
FINISH ELEVATION
TO MATCH FINISH
FLOOR ELEVATION
DOOR

MOUNTING HEIGHTS MALE USINAL HOM LAY W ACCESSIBLE
FALCET OPERATE & 5 LES
SHALL OPERATE & 5 LES
OP PRESSURE MAXIMUM W
ONE HAND & SHALL NOT
REQUIRE TIGHT GRASPING,
PINCHING OF TUSTING OF
THE WRIST NSULATE HOT WATER 4 SUPPLY 4 DRAIN LINES IF NOT BEHIND A SCREEN 8" MN. DEPTH × 30" MN. 34" MAX. 29" MIN. 27" MIN. OTTOM OF OUL <u>k</u> 39" MN. - 41" MAX


REVISION DATES:

OCTOBER 17, 2022

PROJECT:


VISTA COMMUNITY CHURCH 5626 FRANTZ RD. DUBLIN, OHIO 43017

ACCESSIBILITY NOTES/ DETAILS SHEET TITLE SHEET NUMBER



CLARKE ARCHITECTS, NC.

475 Village Park Dr.
Powel China 43065-978
Office 644-79-1200
McDie: 644-79-1200
McD



四2

SHEET TITLE: SECOND FLOOR POWER PLAN

VISTA COMMUNTY CHURCH 5626 FRANTZ RD. DUBLIN, OHIO 43017 PROJECT: REVISION DATES:

OCTOBER 17, 2022

REVIEW SET
NOT FOR

CONSTRUCTION

A75 VIllage Port D.

Powell Onlo 42065 9778

CONSTRUCTION

CONSTRUCTION REVIEW SET

