ANTICA
AN

ROOM NAME

ABBREVIATIONS MACHINE BOLT
MANHOLE
MANHACTURE (R) (NG)
MARK AMNATE ())
AVATORY
BET HAN
EMELNA PLATE
LIGHTING PL THE COMMENT OF THE CO 5626 Frantz Rd.

Jublin, Ohio 43017

New Owner/Use For An Existing Office Building:

VISTA COMMUNITY CHURCH

CLARKE ARCHITECTS, IV

8

475 Village Park Dr. Powell, Ohio 43065-9178 Office: 614-794-1200 Mobile: 614-271-8420 jolarke@clarkearchitects.com

SYMBOLS LEGEND

• REFER TO STRUCTURAL, MECHANICAL, PLUMBING AND ELECTRICAL SHEETS FOR SPECIFIC SYMBOLS

LOCATION MAP

ELEVATION SHEET

HETAL TOILET PARTITION
HETALANIE
HINTHAN
HIGGELLANEOUS
HOUSTURE RESISTANT
GYPSUM WALL BOARD
TO ITAN

ASONEY OPENING

CHITECTURAL SITE PLAN

Canada de Canada		(
- DETAIL SECTION SHEET	SHEET NDEX	NDEX
DETAIL SECTION LETTER	SHEET NO.	DESCRIPTION
- DETAIL SECTION SHEET	Ū	COVER SHEET/ CODE INFORMATION
DRAWING REVISION	> <u>o</u>	ARCHITECTURAL SITE PLAN
REVISED DATE)	₽ ₽	FIRST FLOOR EXIST/DEMO PLANNOTES
KEY KOTE	2	SECOND FLOOR EXIST/DEMO PLANNOTES
EQUIPMENT NUMBER	D3	FIRST FLOOR EXIST/DENO REFLECTED CELLING PLANNOTES
	> 7	SECOND FLOOR EXIST/DEMO REFLECTED CEILING PLANNOTES
ROOM NAME	Þ	FIRST FLOOR PLANNOTES
ROOM NUMBER	[} &	SECOND FLOOR PLANNOTES
ENDOE ETTER	> &	PLAN NOTES/CABINET ELEVATIONS
	□	FIRST FLOOR REFLECTED CEILING PLAN
CEILING HEIGHT	> &	SECOND FLOOR REPLECTED CEILING PLAN
	> > &	FIRST FLOOR OCCUPANCY PLAN
	i	arrange and a second a second and a second a

 $\boxed{3} \otimes \triangleright$

- DETAIL SECTION LETTER CEILING HEIGHT MINDOW LETTER D A
- INDICATES REFERENCE TO DETAIL AT LARGE SCALE HVAC PLANS - IST 4 2ND FLOOR DRAWINGS (BY OTHERS) FIRST FLOOR POWER PLANNOTES
 SECOND FLOOR POWER PLANNOTES
 FIRST FLOOR LIGHT PLANNOTES

LIMBING PLANS/NOTES ACCESSIBLY NOTES/DETAILS ECOND FLOOR OCCUPANCY PLAN

ARGED TOILET PLANS

NORTH ARROW

FIRE PROTECTION DRAWINGS (BY OTHERS. FIRST FLOOR FIRE PROTECTION PLAN

CONTROL CONTRO

ALCANENT ILE
ALCAN

ELECTRIC (AL)
ELECTRICAL CONTRACTOR
ELECTRIC WATER COOLER
ELEVATION (+E/G+T)
ENCLOSURE

AUEN AUEN AUNG FOUNTAIN

LASTIC LAMNATE
LATE (PROPERTY LINE)
LIMBING
LIMBING CONTRACTOR
LYMBOD
ONT

. 4

BUILDING DATA

BUILDING CODE: DESCRIPTION 2017 OBC, 2017 OBC, 2017 OBC, 2017 NEC, 2003 ICC/ANSI AITLI 2012 IECC, 2015 FGC A-3 - RELIGIOUS II-B - 2 STORY, UNPROTECTED- METAL STUDS FRAME 4 METAL FRAME ROOF TRUSSES Y BUILDING, UNPROTECTED, NEW SPRINKLER SYSTEM: - 21,651 SF, SECOND FLOOR - 20,661 SF | AREA - 42,318 SF

FIRST FLOOR AREAS

OFFICE - 8,031 9F

CLASSOCOTIS - 4,154 9F

CAPE PREP - 396 9F

FIRST FLOOR OCCUPANTS MAX. ALLOWED PER ØBC 8 238 122 1443

MIN NAMBER OF EXTIC.

MIN NAMBER OF EXTIC.

1439

176

177 OFFICE - 5,405 OF WORSHIP - 7,910 OF SECOND FLOOR OCCUPANTS 289 LOAD

THE ENTRAUSERS FER OZO, FER A IS THE CODE AND LOCAL FIRE TARBALL FROM ESTABLISHED FRE OZO, FER A IS THE CODE AND LOCAL FIRE TARBALL FROM ESTABLISHED FOR BUILDING, WILLIES AUTOMOTIVE ANALYSE AUTOMOTIVE ANALYSE AUTOMOTIVE ANALYSE AUTOMOTIVE ANALYSE AUTOMOTIVE ANALYSE AUTOMOTIVE ANALYSE AUTOMOTIVE A

TRAVEL DISTANCE: 250" (PER OBC.)

THE BUILDING WILL BE ADDING A RULL SPRINKLER SYSTEM TO THE BUILDING. DESIGN BY OTHERS, COOKD, WITHE QUILLING THE BUILDING HAS AN EXISTING FIRE ALARM SYSTEM, ADD THE NEW DEFVICES AS REGAIRED FER THE NEW PLAYS, DESIGN BY OTHERS, COMPD, WITHE QUILER.

GENERAL NOTES

OWER CONTACT: RON ROYAN 5626 FRANTZ RD. DUBLIN, OH 430/TI (614382-9921 RROYAN3918GHZ

OWNER INFO:

James W. Clarke License No. 9209924 Exp. Date 12/31/2023

ALL WORK SHALL CONFORM WITH THE MOST RECENT EDITION OF THE CONTRACTIONS TO COPIET, WITH THE APPROPRIATE SECTIONS OF THE WORK. THE CONTRACTORS SHALL PURVISH ALL MATERIAL, LABOR AND EQUIPMENT TO COMPLETE ALL OF THE WORK.

ANY MATERIAL OR LABOR WHICH MAY NOT BE SHOWN ON THE DRAWINGS OR NOT SPECIFIED BUT WHICH IS OBYIOUSLY NECESSARY TO COMPLETE THE WORK SHALL BE RURNISHED WITHOUT ADDITIONAL COST. ALL CONTRACTIONS AND SUBCONTRACTIONS ARE RESPONSIBLE FOR THER ONLY CONTRACTION DOCUMENTS. BLOCH SUBCONTRACTION TO SUBCON

REVISION

DATES

OCTOBER 18, 2023.⚠

THE GENERAL CONTRACTOR SHALL SECURE AND PAY FOR ALL PROPERTY THE PROPING NO SHEETING NO SHEETING PAY THE PROJECT ON THE PROPINCY OF THE PAY THE PROJECT OF THE PAY THE CHANGES NOLLIDING THE DELAYS RESULTING FROM THE USE OF SOYED EQUALS SHALL BE BORN BY THE CONTRACTOR. ANY 275 ON OTHER POPITIONS OF THE WORK CREATED BY SUCH IGES SHALL BE COORDINATED BY ALL CONTRACTORS.

MANNES NOCATE DE PINESTE STANDARDO BUT, E ANT NOCATED
REPORTO DE LOS CONTRED TO BE REMETINADARD TO ANT
DENANCES, LUES, CODES, RELES OR REGULATIONS DELANGES ON THE
RECHTELOTOS SHALL CONTRED TO ANT
RECHTELOTOS SHALL CONTRED THE DESCRIPTION SHALL BESCHE
RECHTELOTOS SHALL CONTRED THE DESCRIPTION SHALL ENSCHE
BUTCHES CORRECTED.

SHEET TITLE:

DO NOT SCALE DRAWINGS. WRITTEN DIFERSIONS SHALL CONTROL ALL DOCATIONS. ALL DIFERSIONS ARE TO FACE OF ROUGH FRAMING OR FACE OF FOUNDATION, UNLESS NOTED OTHERWISE. VERIFY UNDERGROUND UTILITIES AND CONDITIONS WITH THE OWNER AND PROPER AUTHORNITY. CALL SIL (3) THREE DAYS BEFORE DIGGRAG.


CONTRACTOR SHALL COORDINATE PRE-WIRNS OF ANY AND ALL OWER SUPPLIED EQUIPMENT. CONTRACTORS SHALL KEEP THE JOB SITE NEAT AND ORDERLY, REPOYNES SCARE PATERIAL DALLY AND SHALL CLEAN SITE AND THE WORK THOROUGHLY IPON COMPLETION.

TRACTORS SHALL BE DEEPED TO HAVE NAMECTED THE SITE SUBMITTAL OF BUS AND SATISFED HERVITYSELF AS TO BYSINKA GRACES, LEVELS, DIFFENSIONS AND DECLINATIONS IT TRUE CONDITIONS NUDER WHICH THE WORK IS TO BE FED.

SHEET NUMBER

VISTA COMMUNTY CHURCH 5626 FRANTZ RD. DUBLIN, OHIO 43017

COVER SHEET/CODE INFORMATION



SHEET NUMBER

ARCHITECTURAL SITE PLAN

SHEET TITLE:


VISTA COMMUNITY CHURCH 5626 FRANTZ RD. DUBLIN, OHO 43017


REVISION DATES:

JULY 6, 2023









SHEET NUMBER

SECOND FLOOR EXISTING/ DEMO PLAN/NOTES

6. VERNEY CEILING REGISTERS 4 DUCT WORK, SHE THE MECHANICAL SHEET BY OTHERS NEW WORK,

KRRPY EXISTNA TREAL, PLUTBINA & ELECTRICAL IN EXISTNA DETYOD AREAS DENA REPOYED, COORD, NEW LOCATIONS WITHE OWNER & NEW ENGARERINA SHEETS.

SHEET TITLE:

LEGEND:

SECOND FLOOR EXISTING/DEMO PLAN

VISTA COMMUNITY CHURCH 5626 FRANTZ RD. DUBLIN, OHIO 43017

2. OIT CAP PATCH 4 REPORE ALL EXISTING BLOOM RECEPTACLES BLOOM CONDUIT 4 PLUTENING LINES THAT PENETRATE THE BLOOM, IN AREAS NOT BEING RELIBED. 3. COORD. WITHE NEW PLANS FOR REPOVAL OF ALL MATERIALS NOT INDICATED ON THE DEMO DUBS.

ALL INTERIOR WALLS, FIXTURES & CEILINGS INDICATED ARE BEING REMOVED & ARE NON BEARING.

REMOVE ANY 4 ALL VEGETATION 4 PLANTS AGAINST OR CLOSE TO THE BLDG, FIELD VERIFY REPORT DISPOSE ALL EXISTINA FLORE COMERNION IN JAELS OF LUCKY, DEPOTO SPACE AN INVICATED, SUS FLORE THIS THE SPOOTH LEPEL LUFFORM - SPECITIVALLY SOUND CONCRETE FLORE RELADY TO RECEIVE NEW FLORENS. REPORE FLOOR ADHESVIE 1 PREF FINISH FOR THE CAMERS NEW FLOOR FRUSH.

DEMO GENERAL NOTES:

PROJECT:

REVISION DATES: OCTOBER 18, 2023/

These Division and describations proposed by Carles devices the care water and the care code, with motivation of services for one code, with colors and control of the code, with colors and code and cod JULY 6, 2023

James W. Clarke License No. 9209924 Exp. Date 12/31/2023

CLARKE ARCHITECTS, NC. 475 Village Park Dr. Powell, Ohio 43065-9178 Office: 614-791-1200 Mobile: 614-271-8420 jclarke@clarkearchitects.com

140 П П П NO WORK RELOCATE LIGHTS NTO NEW CARD н CHANGE CEILING GRID 4 TILES BEHIND THE HEADER POSITION CREATIONS CARD THAN A LUMBER TO BE SECOND SAL AND LEAST TO BE SECO П ₹ **6** NO WORK S P P $\{$ $\stackrel{1}{\text{DENOLITION}}$ from existing / demolition reflected celing plan $\stackrel{1}{\text{DENOLITION}}$ $^{1/2}$ $^{1/2}$ DEMO GENERAL NOTES:

ALL NITROG MULLI, PROTRES I CELLING NOTATED ARE BENG REPORTE JAZE NON BEJANDE ACKT TO AN EMPTY SPACE.

2. COORD, WITH SMIPT, AND FOR REPORTAL OF ALL PATERALS NOT. Q Est VERREY CEILING REGISTERS 4 DUCT WORK, SEE THE MECHANICAL SHEET BY OTHERS NEW WORK. HER. ⅎ 齛 XO WORK H SURPLINE STATE OF THE STATE OF Ц **₹** EXISTING 2' x 4' LIGHT TO BE REMOVED OR SALVAGED FOR RELOCATION EXISTING CEILING GROD 4 TILES TO BE REMOVED REMAIN (TILES REMOVED) EXISTING 2" x 4" IN-LAY LIGHT EXISTING EMERGENCY LIGHTING TO BE REMOVED OR SALVAGED FOR RELOCATION EXISTING EGRESS LIGHTING W/ EXISTING EGRESS LIGHTING TO BE REMOVED OR SALVAGED FOR RELOCATION EXISTING EGRESS LIGHTING Z 🕸 EXISTING EMERGENCY LIGHTING EXISTING EGRESS LIGHTING II/ DIRECTIONAL SIGNAGE TO BE REMOVED OR SALVAGED FOR RELOCATION гісні эшісн LIGHT SWITCH W/ OCCUPANT SENSOR CLARKE ARCHITECTS, NO. FIRST FLOOR EXISTING /
DEMOLITION REFLECTED
CELLING PLAN SHEET TITLE PROJECT: SHEET NUMBER:

VISTA COMMUNTY CHURCH 5626 FRANTZ RD. DUBLIN, OHIO 43017

REVISION DATES: OCTOBER 18, 2023


JULY 6, 2023

These Drawings and Specifications proposed by Califie Activation in, are inscharated by the Activation in, are inscharated by all the Activation in an activation of the Activation in a collection of the Activation in a collection of the Activation in a calculating the copyright. The Activation is a calculating the capyright. The Activation is a calculating the capyright of the Project, for additional to the entire of the Activation in the Activation of the A

James W. Clarke License No. 9209924 Exp. Date 12/31/2023




475 Village Park Dr. Powell, Ohio 430&5-9178 Office: 614-791-1200 Mobile: 614-271-8420 jolarke@clarkearchitects.com



8

James W. Clarke License No. 9209924 Exp. Date 12/31/2023



FIRST FLOOR BUILDING PLAN/NOTES


VISTA COMMUNTY CHURCH 5626 FRANTZ RD. DUBLIN, OHIO 43017

REVISION DATES: OCTOBER 18, 2023/11

These Divergit and Specifications proposed by Carlos Andread No. 1999 and the proposed by Carlos Andread No. 1999 and the Carlos No. 1999 and the JULY 6, 2023

James W. Clarke License No. 9209924 Exp. Date 12/31/2023

CLARKE ARCHITECTS, NC. 475 Village Park Dr. Powell, Chio 43065-9178 Office: 614-791-1200 Mobile: 614-271-8420 jolarke@clarkearchitects.com



SHEET NUMBER:

SECOND FLOOR BUILDING PLAN

SHEET TITLE:

VISTA COMMUNTY CHURCH 5626 FRANTZ RD. DUBLIN, OHIO 43017

PROJECT:

NOTES:

REVISION DATES: OCTOBER 18, 2023/ JULY 6, 2023



CLARKE ARCHITECTS, INC.

475 Village Park Dr.
Powell, Chio 43085-9778
Office: 614-79-1200
Mobile: 614-371-8420
Jolake@clarkedrohitects.com

THE EXITING BULDING SHALL HAVE A SPRINGER SYSTEM. SPRINGER SYSTEM SHALL BE DESIGNED BY A CERTIFIED SPRINGER CONTRACTOR. SPRINKLER SYSTEM NOTES ONSTRUCTION DRAWNINGS OR BIGH PERAINNESS, OR BOTH, FOR THE TITLLATION OF THE REPORTION SYSTEMS SHALL BE SEMITED TO SYCHOLOGY 933,812 OF THE GOC AS SHALL BE SHALL BE

PRINCE CONTRACTOR SHALL COORDWATE SYBNOLER HEAD LOCATIONS IV. THE ARCHTECT & OWNER. COORD, IV./ THE WALL CONSTRUCTION, BLINGS & LICHTING PLAN PRIVILER CONTRACTOR SHALL SUBMIT FOR SPRIVILER PERMIT & SHALL BE ESPONSBLE FOR ALL REQUIRED INSPECTIONS.

AUTOMATIC FRE DETECTION & ALARM SYSTEM NOTES TE DISTING BILDING HAS A AUTOMATIC FRE DETECTION & ALARM SYSTEM SHALL THE THIO THE DISTING SYSTEM HE FRE DETECTION & ALARM SYSTEM SHALL BE DESIGNED & INSTALLED IN THIS SPACE BY A CENTERED FRE ALARM CONTRACTOR. ALARM CONTRACTOR SHALL SLEMT FOR PERMT & SHALL BE ONSBLE FOR ALL REQUIRED INSPECTIONS.

END PANEL EQUIP. BY DUNER BY FRE ALARM CONTRACTOR SHALL COORDWATE DEVICE LOCATIONS WITHE ARCHTECT & OWNER COORD, W/ THE WALL CONSTRUCTION, CELINGS & LIGHTING PLAN CONSTRUCTION DRAWNESS OR SHOP DRAWNESS, OR BOTH, FOR THE STALLATION OF THE ALARA SYSTEMS SHALL BE SIGNITED TO DECATE COMPORATION TO SECTION POSSAIS OF THE COSE & SHALL PREVIOUS BY THE BULLYING DEPARTMENT PRICE TO ISSUANCE OF A ISSMIT.

3'-0' SHELF TYP.

(≿

1/2" = 1-0"

PREP -

BACK COUNTER

SPLASH / QUIP. BY

HELF TYP.

- COORDINATE THE STYLE, FINAL DESIGN 4 THE EXACT LOCATIONS OF ALL THE CASE WORK WI THE QUINER BEFORE ORDERING 4 FABRICATION
- ALL INTERIOR OF CASEMORY IIV DOORS SHALL BE COVERED IIV WHITE MELAMBE
- ALL INTERIOR CABINET SHELVING SHALL BE MIN. 3/4" & ADJUSTABLE & PLASTIC LAMINATE FINSHED
- ALL BASE CABINETS SHALL HAVE A 4"H
 PLASTIC LATINATE BACKSPLASH REAR SIDE
 WHERE APPLICABLE, UND.
- CABINETS SHALL BE CONTERCIAL GRADE OR EQUAL
- PULLS SHALL BE SURFACE MOUNTED FROM MANUFACTURES STANDARD, COORD. III/ THE CURER

3-0

<u>ه</u>.و

- MILLWORK NOTES:
- PLASTIC LAMINATE ON BASE, WALL, SHELVES & COUNTER TOPS SHALL BE SELECTED FROM THE MANAFACTURE'S STANDARDS BY THE OWNER.

15. ALL FINISH COLORS SHALL MATCH, COORDINATE W/ THE OWNER.

| Vall Land Theorem of the standard of the st

20, SEE SHEET AS FOR THE DOOR SCHEDLIE "80A". DOORS SHALL BE NSTALLED A MN OF 4 17" AMAY FROM THE FERTENDICULAR MALL. FOR CLOSETS, THE DOOR SCHEDLIE "60A". DOORS SHALL BE CENTERED NITHE MALL. INLESS NOTED OTHERWISE. 19. RE-USE EXIST. CEILING TILES + LIGHTS, REPAIR/REPLACE AS NEEDED.

27 AL O'RE PIRE PORO BULL RETAIN NACORD UBLY RE SALCE BOOLDERS.

28 AL O'RE PIRE PORO BULL RETAIN NACORD UBLY RE SALCE BOOLDERS. THE BREEN 120 NO DEVOS WILL RE PORO BULL RESERVE SOME BOOK RETAIN NACORD UBLY RESERVE BOOK THO DOOK ALL O'RE BOT DOOK TO WAR. O'RE BOT DOOK TO THE THE BOT DOOK BOOLDERS. O'RE BOT DOOK ALL O'RE BOT DOOK TO WAR. O'RE BOT DOOK BOOLDERS. O'RE BOT DOOK BOOLDERS.

21. THERE SHALL BY A FLOOR OR LANDING ON BOTH SIDES OF ALL DOORS, SHOT FLOOR OR LANDING SHALL BY SITE BOTH SHOW LANDINGS SHALL BY STREET DOOR LANDINGS SHALL BY STREET FOR THE BOTH FROM LANDINGS WHICH ARE PERSONNELS OF ALL DOORS OF THE BOTH FROM LANDINGS WHICH ARE PERSONNELS WHICH WHICH ARE PERSONNELS WHI

26. EXISTING FIRE EXTINGUISHERS THAT ARE REQUIRED TO BE REPOYED DUE TO ARCHITECTURAL RENOVATIONS CAN BE RE-USED IN NEU-LOCATIONS. ENGINE PROPER LIORANG ORDER. HE - DRACKET MALL MONTED - HERE EXTRAGUISHERS FER OSC, NEPA 10 ONG HERE CODE LE LOCAL HERE INASSMALL FROMDE TALTH-TARROCKE DEV CHEFICAL, ACC RATINS, 10 FONDO MALL HAVE HERE EXTRAGUISHERS (OR A FEAD BOTT DOORS). WLESS AUTHORITY HAVING JARROCKTON DIRECTS OTHERWISE. NOTALL SO THE CENTER OF THE HAVDLE 16 TAX; 45° AFF.

21. SEE ENLARGED TOILET PLANS SHEET AS FOR TOILET ACCESSORIES THE CONTRACTOR SHALL PROVIDE AN ADA-APPROVED WALL SIGN FOR EACH OF THE TOILET ROOMS. SEE DETAIL ON THE ACCESSIBILITY SHEET.

THE CONTRACTOR SHALL PROVIDE AN ADA-APPROVED WALL TACTILE EXIT SIGN FOR EACH EXIT DOOR OF THE SPACE. SEE DETAIL ON ACCESSIBILITY SHEET. ALL OF THE ENTRY 4 EXIT DOORS SHALL RETIANED UNLOCK WHEN THE SPACE IS OCCUPIED. ALL OF THE ESPESS DOORS SHALL BE READLY OPERABLE PROY THE ESPESS SIDE WI OUT THE USE OF A KEY OR SPECIAL KNOWLEDGE OR EFFORT.

THE ACCESSIBILITY SHEET IN THIS SET SHALL TAKE PRECEDENT OVER ALL OTHER SHEETS. SEE ACCESSIBILITY SHEET FOR ALL REQUIREMENTS.

THE OPTIONAL NELLATION HATERAL CONCEALED WITH THE MALLS BALKL HAVE A RAME SPREAD RATING OF TO ORLIESS, THE SPOKE DEPELOPMENT RATING SHALL BE 450 OR LESS, THE NITEROR LOCATIONS IS NOTATION IN THE TALKS DECIDED BY THE QUARTE THE QUARTE MAYOR AN OPTION TO ADD ETHER BATT INSILATION ABOVE THE CRUNCS AS NOTICATED FOR SOAND. FIRE CODE CORSULA IN DILLIDANS IN COLUMNOT, ORCUP A' HAVING AN COCUMNOT LOLD OF 1980 ONE ELEMENT COCUMNOT FIX FIX PROPERTY OF THE PROPERTY OF

35. MAINTAIN CLEAN WORK SITE ON A DAILY BASIS. ALL CONTRACTORS SHALL OBTAIN A COMPLETE SET OF PLANS 4 BE FAMILIAR IN THE BITTRE PROJECT IN ORDER TO INDERSTAND THE COMPLETE SCOPE OF THE PROJECT.

31. REF-USE MINI BLINDS THROUGHOUT. COORD. III/ THE OWNER FOR REPAIR/REPLACEMENT. THE ARCHITECT IS NOT REPORTED TO MOCKEN INVESTIGATE DAM'NE, TEST JAM, TIED AR PRESENT REMOS TO INTIGATE CORRECTION THE THAT THE POLICIANS CONDITIONS THAT HAV OR HAV NOT HER RESENT AT HER TIED ARESEND, HOUSE ARCHITECTURE THAT HER POLICIANS CONTITIONS THAT HAVE ARE CONTITIONAL TO PRESENT A MUZICADIS MATERIALS, BOULD ATT OF THE CONTITION HAVE ARE CONTITIONAL THE PRISE AND MUZICATION CONSIDERANCE AND ARCHITECTURE THAT HER CONTITIONAL THE PRISE AND MUZICATION CONSIDERANCE AND ARCHITECTURE THAT HAVE ARE CONTITIONAL THE PRISE AND THE SAME ARCHITECTURE ARCHITECTURE AND THAT HAVE ARE CONTITIONAL THE CONTITIONAL THE PRISE AND THE ARCHITECTURE A

38. WINDOW SILL I/2 WALL W. PLASTIC LAM FINISH APPROX. 8 3/4" DEEP SHOULD BE REPLACED IN AREAS NEEDED, FELD VERIFY W. OWNER TO DETERMINE LOCATION. (APPROX. 25% NEEDS TO BE REPLACED)

내 은 이번째 나와 수 최기에 중 아이스에 된 이 나를 보이어로 가장 나와 이 오래 부탁하나 된 한나라 나와 이 나를 보이어를 보는 나를 보는 나를

40 EMERGENCY RESPONDER RADIO CONFRAZE SHALL BE PROVIDED IN ACCORDANCE W SECTION 560 OF THE FIRE CODE. PROVIDE THEIR PROVIDED IN ACCORDANCE W SECTION 560 OF THE FIRE CODE. PROVIDED.

PLAN GENERAL NOTES:

- HIS IS ALL DOWNS 2 STORM CREATE BILLIDING MONOCOMBINED BILLIDING A THIS BILLIDING BILLIDING AND PREMICATE STILLING BILLIDING B
- NTEROR SITU MALLA SHALL DE KON-DROS 3 8/8° 4 6° × 22 GA. PTL. SHILDS 9 16° CC. 12°-0′ HIGH. ALL DIEDSSONS ARE TO THE FACE OF WELL HETAL SHIDS 4 FACE OF EXSING WALLA. ALL NEW WALLS SHALL DE COMPRED W 5/8° GYP. DD. PLIL HETAT, UNEESS NOTEIN OTHERWISE, COORD. W THE OLNER.

475 Village Park Dr. Powell, Chio 43065-9178 Office: 614-791-1200 Mobile: 614-271-8420 jolarke@clarkearchitects.com

CLARKE ARCHITECTS, INC.

- F DYENSONS ARE IN QUESTION THE CONTRACTOR SHALL BE RESPONSIBLE FOR OBTAINIS CLARFICATION FROM THE OWER OR ARCHITECT BEFORE CONTINUING II/ CONSTRUCTION.
- PROVIDE TOP OF WALL BRACNG ABOVE CEILING OR DIAGONAL WHERE 4 AS READ, WALL BRACING SHOWN DIAGONAL ON TOP OF THE WALLS, SEE THE BUILDING PLAYS, VERFY LOCATION W/FIELD CONDITIONS. NOTALL GREEN BOARD IN ANY NEW WET CONDITION. NOTALL GREEN BOARD MIN. 8'-0" HIGH ON THE TOILET WET WALLS.
- FINDO IS USED FOR BLOCKIO, ALL WOOD IN CONTACT W CONCRETE SHALL BE RESIDURE.TREATED, FASTBLESS SHALL COFFE, IN JACKSONESS, IN ALL CONTINOS IN MEET RESIDURES RESIDURES TREATED WOOD IS USED, FASTBLESS, ANCHOR BOLTS, WANESS STEEL.

 VALUE, ETC. SHALL BE TRIPLE HOT DIPPED OR STANLESS STEEL. SEAL ALL EXISTNO OPENNOS IN THE EXTERIOR NITERIOR WALLS 4 FLOOR SYSTEM ABOVE VERFY ALL CONDITIONS, SEAL OPENNOS IN MATERIALS COMPATIBLE IN ADJACENT CONSTRUCTION OR RATED ASSEMBLY AS REQUIRED.
- PROVIDE IN-WALL BLOCKING AS REQUIRED FOR ALL TOILET ACCESSORES, CABINETS, WALL MOUNTED MONTORS, WALL MOUNTED LIGHT FIXTURES, GRAD BARS 4 ANY REQUIREMENTS BY THE OWER. ALL IN-WALL BLOCKING SHALL BE WOOD OR METAL FRAMING
- RIMESTOPPING SHALL DE PROVIDED TO CUT OFF ALL CONCEALED DRAFT OPENINGS (VERT, 4 HORZ) 4 TO FORTI AN EFFECTIVE FIRE STOP.
- THE EQUIPMENT ROUGH HIS AS SHOWN, AND EXPOSED FROM A VALLED BY ROUGH TO CONTROLL OF THE CONTRO TREACH THE BLOCK AS SHALL BE PROVIDED IN CONCEAUED SPACES OF STUD WALLS AND PARTITIONS, NOLIDING PRREEDS AND PARTITING AND PARTITIONS OF STANGERED STUDS, AS FOLLOWS A VERTICALLY AT THE CELLING AND PROOF LEYELS HORIZONTALLY AT INTERVALS NOT EXCEEDING SO FIETH.
- VERFY III THE OWER CONCERNING ALL EQUIPMENT BEFORE ORDERING 4 ROUGHING ARE COMPLETED 4 GYP BOARD IS INSTALLED
- 14. SEE SHEET AI FOR THE FINISH NOTES 4 MATERIAL LEGEND.

James W. Clarke License No. 9209924 Exp. Date 12/31/2023

These Diverging and Specifications proposed by Carties deviction for the proposed by Carties deviction for the proposed by Carties deviction for the proposed color and the provided Carties provided Carties Acriticate of these and lies determined by author of these actions of the carties of the proposed for additions to the proposed for additions to the proposed for additions of the Proposed for additional of the Proposed for the Pr

JULY 6, 2023

REVISION DATES: OCTOBER 18, 2023/11

PROJECT:


VISTA COMMUNTY CHURCH 5626 FRANTZ RD. DUBLIN, OHIO 43017


SHEET TITLE:

PROJECT NUMBER

PLAN NOTES

SHEET NUMBER





475 Village Park Dr. Powell, Chio 43065-9178 Office: 614-791-1200 Mobile: 614-271-8420 jolarke@clarkearchitects.com

James W. Clarke License No. 9209924 Exp. Date 12/31/2023

EXIST, EXIT SIGN. EMERGENCY EGRESS LIGHTING UP EAFTERY BACK-UP, DIAL LAMPS, DIAL OVAL HALDS, WIRE TO THE NEAREST LIGHTING CIRCUIT, WALL MOUNTED 12" ABOVE DOORS. EVET EXIT 50A - DIRECTIONAL EMERGENCY EGRESS LIGHTING W BATTERY BACK-UP, DUAL LAFFS, DUAL OVAL HEADS WIRE TO THE KEAREST LIGHTING CIRCUIT, WALL YOUNTED 12" ABOVE DOOMS. NEW EXIT BIGN- EYERGENCY EGRESS EXIST. EPERGENCY EGRESS LIGHTING W BATTERY BACK-IP, DUAL OVAL HEADS, DUAL LAMPS, MALL-MONIED WEST OF THE NEASEST LIGHTING CIRCUIT, TOP 9 12' BELOW THE CELLING.

Ź-	2 ∵
20	货币
8#	<u>ت</u>
7 1 %	₽
5.0	3
25	2
番笺	구
0.3	Ł
통목	m
85	iii
	ŭ
φ	콎
₽	¥
Ε.	
W	青
Ω	9
ž	<u>~</u>
멸	ğ
	- 4
ŏ	퓼
78	8
8	蝉
Z	8
Š	8
¥	, ži
. RECESSED LIGHT FIXTURES SHALL BE CENTERED OR AS INDICATED ON IN THE CUNER	I THE LIGHTING PLAN (ELECTRICAL SHEETS) FOR THE SPEC'S FOR THE LIC TURES
ŏ	- 11
ž	×

ALL RECESSED LIGHT FIXTURES SHALL BE CENTERED OR AS INDICATED ON THIS PLAY (COORD). WITHE OWNER

GERGEL CONTRACTOR (GC.) TO MERT IN OMER TETROO OF ATTACHEN FOR ALL TIPS ANCHORD TO OR AS METHODED FROM THE DESTINA STRUCTURE (GAT TANDESS SHALL BE LOCATED AS NOCATED ON THE GETLECTED CEILING FLANT THE GETLECT THE CONTRACT ON THE STRUCTURE THE CONTRACT ON THE STRUCTURE TO CONTRACT ASCRIPTION THE GET ARE ANY DOCUMENACTOR.

GC SHALL SET ALL CEILING & SOFFITS USING A LASER LEVEL TO ACHIEVE A CEILING THAT IS PLUYB, LEVEL, & SQUARE TO ALL WALLS & SOFFITS. ALL NOTED CELING DIPENSIONS ARE NOICATED AS CLEAR ABOVE FINISHED AS CONTRACTION IN PLOCINGS OF FLOOR CONSTRUCTION IN PLOCINGS SUB-CONTRACTOR PRIOR TO INSTALLATION OF ANY NEW CELING CONSTRUCTION IN ORDER TO ACHIEVE REQUIRED DIPENSIONS.

ALL OF THE EXISTING OR MOVED 2 X 4 LIGHT 4 THE EMERGENCY LIGHTS ARE 2TH YOLT. SEE THE ELECTRICAL LIGHTNG PLAN. THE NEW 2 X 4 LIGHTS CAN BE SUPPLIED FROM THE LIGHT FOUNDES THAT HAVE BEEN RETYORED, VEREY THEY ARE NIGOOD CONDITION FOR RELIGH.

REFLECTED CEILING NOTES:

LIGHTING/CEILING LEGEND:

П 0

2x4' LIGHT TO BE RELOCATED

NEW EMERGENCY EGRESS LIGHTING

NTERIOR RECESSED CAN LED LIGHT, CENTERED IN CEILING TILE, COORD. STYLE III/ OWER

 \oplus

LOW BAY LED HOUSE LIGHTS, COORD STYLE W/ OWNER

CEILING NOTES: ×

NDICATES THE HEIGHT OF THE CEILING ABOVE THE FINISH FLOOR

CEILING RETURN 4 SUPPLY DIFFUSERS - SEE THE MECH. DUGS EXHAUST FAN, TIE INTO LIGHT SWITCH - SEE MECH. DRAWINGS. EXTERIOR EMERGENCY EGRESS LIGHTING REMOTE HEAD, DUAL LAYES

SEE THE LIGHTING PLAN (ELECTRICAL SHEETS) FOR THE SPECISFOR THE LIGHTING FIXTURES

DIRECTIONAL LED SPOT LIGHTS, COORD, STYLE W/ OWNER EXIST. DEVICE Z

NEW OR RELOCATED 1x4" IN-LAY LIGHT NEW OR RELOCATED 2x4" IN-LAY EXISTING OR RELOCATED 2x4" IN LAY

EXIST. 2 × 4 GRID, SUSPENDED ACQUSTICAL CEILING HEIGHTS AS NIDICATED, COORD, W/ THE QUILER

E,

> 7 116 GHTNG

ALL BILLES SHALL BE PROVIDED BY EC

ALL STRUTIPAL PRAPTICA HANDESS CHANGES PODS OTHER TRICELLANDOS SUPPORT STEEL SALL DE PROVIDED BY THE CAL ON SCIEDINGHY FOR PROPTERS SUPPORT OF SUPPONDED EXISTENT IN SHALL DE PARTICED TO STEEL CONCRETE OR LIANCARY, CAL TO COMPENATE W STRUCTURAL BUSINESS AS REQUIRED FOR NSTALLATION OF ALL EQUIPMENT.

AC. TO PROVIDE NECESSARY BLOCKING & BRACING FOR FIXTURE NOTALLATION OF ALL BLECKROAL COMPONENTS TO CONTRIBET THE FINAL NOTALLATION OF ALL FIXTURES - COOKED BY FIXTURE MANUFACTURES.

PROJECT:

VISTA COMMUNTY CHURCH 5626 FRANTZ RD. DUBLIN, OHIO 43017


SECOND FLOOR REFLECTED CELING PLAN

These Divergit and Specifications proposed by Carlos Andread No. 1999 and the proposed by Carlos Andread No. 1999 and the Carlos No. 1999 and the

JULY 6, 2023

REVISION DATES: OCTOBER 18, 2023 🗥

SHEET TITLE:



FIRST FLOOR OCCUPANCY PLAN


VISTA COMMUNTY CHURCH 5626 FRANTZ RD. DUBLIN, OHIO 43017

REVISION DATES: OCTOBER 18, 2023 🗥

These Division and Specifications proposed by Carles Anchrase in care with the second of the second JULY 6, 2023

James W. Clarke License No. 9209924 Exp. Date 12/31/2023







SECOND FLOOR OCCUPANCY PLAN


VISTA COMMUNTY CHURCH 5626 FRANTZ RD. DUBLIN, OHIO 43017


REVISION DATES: OCTOBER 18, 2023 🗥


These Division and describations proposed by Carles devices the care water and the care code, with motivation of services for one code, with colors and control of the code, with colors and code and cod JULY 6, 2023



CLARKE ARCHITECTS, NO. 475 Village Park Dr. Powell, Chio 43065-9178 Office: 614-791-1200 Mobile: 614-271-8420 jolarke@clarkearchitects.com









CAFE PREP/UTILITY PLAN
(A8) V4" • 1-0"

PLUMBING NOTES

TOLET ILLIE CONTROLS WHALE CONTROLS FOR THE TUBE TO ACTIVATE CONTROLS WHAT IS CONTROLS FOR THE TUBE TO ACTIVATE CONTROLS WHAT IS NOTED TO ACTIVATE CONTROLS WHAT IS NO ACCOUNT THAT IS NOTED TO ACTIVATE CONTROLS WHAT IS NO ACCOUNT THAT IS NOTED TO ACTIVATE CONTROLS WHAT IS NO ACCOUNT THAT IS NOTED TO ACTIVATE CONTROLS WHAT IS NO ACCOUNT THAT IS NOTED TO ACTIVATE CONTROLS WHAT IS NO ACCOUNT THAT IS NOTED TO ACTIVATE CONTROLS WHAT IS NO ACCOUNT THAT IS NOTED TO ACCOUNT THAT IS NOTED THAT IS NOTED TO ACCOUNT THAT IS NOTED TO ACCOUNT THAT IS NOTED THAT

8

PLUMBING FIXTURE SCHEDULE

ACCESSORIES SCHEDULE

MOUNTING

JULY 6, 2023

- A CLEAR ROOM SPACE AN UNDER A MACHINER PARK BOOM SPACE SHALL RANDOW SPACE SHALL RANDOW SPACE SHALL RANDOW SPACE SHALL RANDOW SPACE AND RANDOW SPACE SHALL RANDOW SPACE AND RANDOW SPACE SHALL RANDOW SPACE AND RANDOW SPACE SHALL RANDOW SPACE SH "MATER 4 DRAIN PIPES WIDER LAVATORIES SHALL BE NSILLATED OR BRUISE COVERED. THERE SHALL BE NO SHARE OR ABRASIVE SURFACE UNDER "ATORIES."
- THE PROPER SHAFT BE ON THE BILD SHEET OF THE WAY THE WORLD FOR THE WAY THE WAY
- GRAD BARO, FASTENERO 4 YOUNTNG DEVICES SHALL BE DESIGNED FOR 230 LBS/LNEAR FT. LOAD. LOCATE TOILET TIBBUE DIBPENBERB ON THE WALL WITHIN IZ! OF THE PRONT EDGE OF THE TOILET BEAT. MIRRORS SHALL BE MOUNTED W BOTTOM EDGE NOT MORE THAN 40° FROM THE FLOOR.

EXIST. LAV. - SEE PLUMBING

- ALL GYP, BD. \bullet WET WALLS SHALL BE WATER RESISTANT, 8'-0' HIGH MIN, TYPE IN ALL RESTROOMS. NOTERNO TYPE SPECIED ON PLITENG DRAWINGS, COORDINATE WITHE OWER SEPONE ORDERNA
- THE EQUIPMENT SOCIAL-196 AS SPOCIAL AND SAMED LIPPON AVAILABLE. ROOMANDO
 NOMEN ON NOTE INSTANCES HE COLUMNER OR SEPTIER ANY ASSESSMENT OF HE CONTRACTOR
 BALL THE MAY A VARY ROOM HALL TO SHOW, THE CONTRACTOR
 BALL THE MAY ALL CONTRACTOR WITH A CONTRACTOR
 THE CONTRACTOR OF THE COLUMN FROM TO CONTRACTOR
 REPORT ALL CONTRACTOR OF THE COLUMN FROM TO CONTRACTOR
 REPORT AND THE CONTRACTOR OF THE CONTRACTOR
 REPORT AND THE CONTRACTOR OF THE CONTRACTOR
 CONTRACTOR PROVIDE A SIAN OUTSIDE OF EACH RESTROOM NOICATING THE SEX FOR EACH RESTROOM 4 THAT IT IS ADA COMPLIANT PER OBC 28022

DOUBLE BOWL SINK - SEE NEW MOP SINK - SEE PLUM EXIST. WATER HEATER - SE EXIST, MOP SINK - SEE PLUI

- PROVIDE SOUD NUMBLE BLOCKING AS REQUIRED FOR ALL TOLLET ACCESSORIES CASELLORK, YET ALL STUDS O'R FIRE TREATED WOOD BLOCKING.
- THE ACCESSIBILITY SHEET IN THIS SET SHALL TAKE PRECEDENT OVER ALL OTHER SHEETS. SEE ACCESSIBILITY SHEET IN THIS SET ROY ALL REQUIREMENTS.
- THE CONTRACTOR MAD THE RESET TO SUBSTITUTE THE TANKFACTURER OF THE PLATFORM ACCESSORIES AS LOCALED AND THE THE TO RECEIVE THE DEBICA REQUIREMENTS AS RESIDENT OF SUBSTITUTION.

THE TOILET STALL COMPARTMENT DOORS SHALL BE GRASPABLE IN THE REQUIRED CLOSER 4 SHALL HAVE A CLEAR OPENING OF 32" MIN.




				PLUMBING SHEET
			_	DING SIEE!
XFICATIONS	ACCORDANCE W/ MANUFACTURER'S SPECIFICATIONS			NIO SIFTY
TALLED N	ALL PLUMBING ACCESSORIES SHALL BE INSTALLED IN	*		E PLUMBING SHEET
BE SUBSTITU	ALTERNATE PLUMBING ACCESSORIES MAY BE SUBSTITUTED W/ OWNER APPROVAL	*	_	MBING SHEET
VERFY BOTTO 3'-4' AFF, MA	EXIST, FULL WIDTH MIRROR	8		SHEET
CELNG MOU	EXHAUST FAN - SEE MECH SHEETS	Ą		
MOUNT CENTE 48" AFF	COAT HOCK	\$		BNG SHEET
BOTTOM ® 3	3'-0"W × 3'-6"H MRROR	8	-	SEE PLUMBING SHEET
BOTTOM @ 3'	18" GRAB BAR, VERTICAL - MOUNT 40" AWAY FROM CORNER @ 8, THE BOTTOM	ž		
£ ⊕ 3'-0' A⊞	36' GRAB BAR - MOUNT 6' AWAY FROM CORNER	ಜ		NG SHEET
€ ⊕ 3'-0" AFF	42" GRAB BAR - MOUNT 12" AWAY FROM CORNER	⋧		R TOP) - SEE PLUMBING SHEET
TOP @ 2'-8"	SURFACE MOUNTED TOLET TISSLE DISPENSER SINGLE ROLL - 36" MAX. FROM REAR WALL	2.		NG SHEETS
MOUNTING HEIGHT	◆ DESCRIPTION	N O		

MOUNT CENTERLINE 48' AFF BOTTOM © 3-4 AFF, MAX

PROJECT:

BOTTOM ® 3'-4' AFF € ® 3'-0" AFF € @ 3-0" AFF

REVISION DATES: OCTOBER 18, 2023/11



James W. Clarke License No. 9209924 Exp. Date 12/31/2023

CLARKE ARCHITECTS, NC.

475 Village Park Dr. Powell, Chio 43065-9178 Office: 614-791-1200 Mobile: 614-271-8420 jolarke@clarkearchitects.com

SHEET NUMBER

ENLARGED TOILET PLANS/ DETAILS

SHEET TITLE:

S SPECIFICATIONS. MAY BE SUBSTITUTED

VISTA COMMUNTY CHURCH 5626 FRANTZ RD. DUBLIN, OHIO 43017

VERFY BOTTOM 6 3'-4" AFF, MAX. CELNG MOUNTED

GENERAL DOOR NOTES

COORDINATE OPENINGS & FRAYING W/ CONTRACTOR BEFORE NSTALLATION OF DOORS

ALL NIEUGR DOORS SHALL BE HOOD SALID CORE FLIGH PAME, STAN GANGE UNLESS NOTED CHEMINE DOOR FRANE DETAILS SHALL BE SELECTED BY OWER THE DOOR FRANES SHALL BE KOLLOW HETAL. CORPOR UN OWER DEFORE PLECHASING FROM HETCH CORPOR

ALL HARDWARE SHALL COMPLY III. THE LATEST REQUIREMENTS OF ANSI

SEE THE BLDG PLAN SHEETS FOR THE EXACT COUNT, SUNG A LOCATION OF DOORS REQUD ALL HARDWARE FINISH, MATERIAL, KEYING 4 FUNCTION SHALL BE COORDINATED W/THE OWNER

NTERIOR HY FRAMES SHALL BE 16 GA WRAP AROUND, WELDED OR KNOCK DOWN TYPE

HARDIMME EXISTNO ESPESS DOOR HAVE PANIC HARDIMME
SHALL AND SHALL ON THE MODE AS PANIC
SHALL AND SHALL ON THE MODE AS PANIC
SHALL SHALL ON THE MODE AS PANIC
SHALL SHALL SHALL ON THE MODE AS THE MODE AND DEVICE
SHALL SHALL SHALL DOORS SHALL S

CANNON DE COCCEPACIO SON SHALL BE LETTES THIS ON A SHALL BE LETTES THE S

CLARKE ARCHITECTS, NO.

475 Village Park Dr. Powell, Ohio 430&5-9178 Office: 614-791-1200 Mobile: 614-271-8420 jolarke@clarkearchitects.com

THE CONTRACTOR HAS THE RECHT TO SUBSTITUTE THE MARKETURER OF THE HAPPHARE SA LONG AS THE HAPPHARE THETH OR BYCHED'S THE DESIGN RECHIEFING HAS NOTICATED. PROVIDE CHI SHEETS TO THE CAUSER FOR APPROVAL PRIOR TO SUBSTITUTION.

CONTRACTOR SHALL COORD, ALL HARDWARE RUCTION, SCHEDULE, PLOPODE, ETC. W OWER BEFORE SHOP DRAWNGS, ORDERING & INSTALLATION. PROVIDE THREE SUBVCERS ON ALL HY DOOR FRAMES INSTALLED ON LATCH SIDE OF FRAMES.

14. ANY EXIST, DOOR 4 FRAME BEING REMOVED, MAY BE REUSED IF N GOOD CONDITION, COORD. WITHE OWNER

ALL REQUIRED EXTS SHALL BE ACCESSIBLE 4 HAVE ACCESSIBLE HARDMARE

ALL TEAMS OF EXCRESS SHALL BE READY TO OFFER AUE FROM THE OFFER AND HALL BERKESS SHOULD BE TAKEN BE HIT AND THE LIFE OF A DEPENDENCE OF THE LIFE OF A DEPTH OF THE LIFE OF A DEPTH OFFE OFFER SHALL BE DISTRIBUTED BY THE EXCRESS LOCK OFFER SHALL BE DISTRIBUTED BY THE COCK OFFER THE LOCK AS DEVOCE SHALL ALL ALL AND SHE LOCK OFFER THE SHOULD BY

HARDWARE MFG. 8CHLAGE, D SERVES, ATHENS STYLE MODEL* HAGER CO., BB1219, 4 1/31 OR APPROVED

HARDWARE KEY

A. 11/2 PR HEAVY DUTY BALL BEARING HINGES

D. PASSAGE LATCH SET - LEVER
E. DOOR STOP - WALL MOUNTED
F. PRIVACY LOCK SET - LEVER OFFICE LOCK BET - LEVER

PANIC BAR, EGRESS HARDILL

A PRAME ELEVATIONS
A9 V4" = 1-0" ANCHORS (A) JAMB 5/8' GYP. BD. EACH SIDE

1 DOOR ELEV. 2 FRAME PROFILES A9 NTS.

4 DETAILS A9 1 1/2" = 1-0"

Z		1	1	WOOD	EXISTNG	1	ı	WOOD	3-0" x 7-0" x 13/4"	218A
3		1	1	WOOD	EXISTING	1	ı	WOOD	3-0' x 7-0' x 13/4'	217A
Z		1		¥	EXISTING	ž	ı	WOOD	3'-0" x 7'-0" x 1 3/4"	216A
Z		1	1	WOOD	EXISTNG	ı	ı	WOOD	3-0" x 7-0" x 1 3/4"	215A
	4A/A9	3A/A9	2A/A9	¥	A,C,E	ı	1A/A9	WOOD	PR 3'-0" x 7-0" x 1 3/4"	214A
Z.		1	1	WOOD	EXISTING	1	ı	WOOD	3'-0" x 7'-0" x 13/4"	212A
Z.		1	1	WOOD	EXISTING	1	١	WOOD	3-0" x 7-0" x 1 3/4"	2MA
Z.		1	1	WOOD	EXISTING		1	WOOD	3'-0" x 7'-0" x 1 3/4"	210A
Z		1	1	WOOD	EXISTING	1	1	WOOD	3'-0" x 7'-0" x 13/4"	209A
Z		1	1	WOOD	EXISTING	1	ı	WOOD	3-0" x 7-0" x 1 3/4"	208A
Z		1	-	WOOD	EXISTING	1	ı	WOOD	3'-0" x 7'-0" x 1 3/4"	205A
75		1	1	ž	EXISTNG	ž	ı	WOOD	3-0" x 7-0" x 13/4"	204A
2		1	1	WOOD	EXISTNG	1	١	WOOD	3-0" x 7-0" x 1 3/4"	203A
	4A/A9	3A/A9	2A/A9	Z	ADE	ı	1A/A9	┸	3-0" x 7-0" x 13/4"	202A
	4A/A9	3A/A9	2A/A9	¥	A,D,E	1	1A/A9	┸	PR 3'-0" x 7'-0" x 13/4"	20°C
	4A/A9	3A/A9	2A/A9	₹	ADE	1	1A/A9	WOOD	PR 3-0" x 7-0" x 1 3/4"	2018
	4A/A9	3A/A9	2A/A9	ž	ADE	ı	1A/A9	WOOD	PR 3'-0" x 7'-0" x 1 3/4"	201A
జ		1	1	WOOD	EXISTING	1	I	WOOD	3'-0" x 7'-0" x 1 3/4"	200A
T	4A/A9	3A/A9	ZA/A9	Z	ĄCE	1	VAY	WOOD	3-0" x 7-0" x 13/4"	145A
	4A/A9	3A/A9	2A/A9	₹	A,C,E	1	VA9	WOOD	3'-0" x 7'-0" x 1 3/4"	144A
	4A/A9	3A/A9	2A/A9	Z	ĄCE	ı	VA9	WOOD	3-0" x 7-0" x 13/4"	143A
	4A/A9	3A/A9	ZA/A9	š	ĄCE	1	VAY	WOOD	3-0" x 7-0" x 1 3/4"	142A
2	1		1	ALUM	EXSTNG		1	AUM	3-0" x 7-0" x 13/4"	1408
8	1	1	1	¥	EXISTING	ž	1	WOOD	3'-0" x 7'-0" x 1 3/4"	140A
	4A/A9	3A/A9	2A/A9	₹	ACE	ı	VA9	WOOD	3-0" x 7-0" x 13/4"	398
	4A/A9	3A/A9	2A/A9	¥	ĄCĘ	1	VA9	WOOD	3'-0" x 7'-0" x 1 3/4"	1398
	4A/A9	3A/A9	2AVA9	¥	A,C,E	1	VA9	WOOD	3'-0" x 7'-0" x 1 3/4"	138A
	4A/A9	3A/A9	2A/A9	₹	A,D,E	1	VA9	WOOD	PR 3'-0" x 7-0" x 1 3/4"	137A
	4A/A9	3A/A9	2A/A9	¥	ADE		VA9	WOOD	3'-0" x 7'-0" x 1 3/4"	136A
	4A/A9	3A/A9	2AVA9	¥	A,C,E	1	VA9	WOOD	3'-0" x 7'-0" x 1 3/4"	135A
	4A/A9	3A/A9	2AVA9	₹	A.C.E	1	VA9	WOOD	3-0" x 7-0" x 1 3/4"	134A
8	1	1		¥	EXISTING		1	WOOD	3'-0" x 7'-0" x 1 3/4"	133A
ಷ	1	1	1	¥	EXISTING	1	1	WOOD	3'-0" x 7'-0" x 1 3/4"	132A
83	1	1	1	₹	EXISTING	1	١	W000	3-0" x 7-0" x 1 3/4"	ME
83	1	1	-	×	EXISTING		1	WOOD	3'-0" x 7'-0" x 1 3/4"	1308
ಷ	1	1	1	¥	EXISTING	1	1	WOOD	3'-0" x 7'-0" x 1 3/4"	130A
	4A/A9	3A/A9	2A/A9	₹	A,C,E	1	VA9	WOOD	PR 3-0" x 7-0" x 1 3/4"	1298
	4A/A9	3A/A9	2A/A9	Æ	A,C,E	1	VA9	WOOD	PR 3'-0" x 7'-0" x 1 3/4"	129A
ಜ	1	1	1	¥	EXISTING	1	1	WOOD	3'-0" x 7'-0" x 1 3/4"	128A
z	1	1	1	ALUM	EXISTING	1	١	ALUM	PR 3-0" x 7-0" x 1 3/4"	127A
83	1	1	-	×	EXISTING		1	WOOD	3'-0" x 7'-0" x 1 3/4"	126A
ಷ	1	1	1	¥	EXISTING	1	1	WOOD	3'-0" x 7'-0" x 1 3/4"	125A
8	١	1		₹	EXISTING	1	1	WOOD	3-0" x 7-0" x 1 3/4"	124A
8	1	1		¥	EXISTING		1	WOOD	3'-0" x 7'-0" x 1 3/4"	123A
ಷ	1	1	1	¥	EXISTING	1	1	WOOD	3'-0" x 7'-0" x 1 3/4"	122A
8	1	1	1	₹	EXISTING	1	١	WOOD	3'-0" x 7'-0" x 1 3/4"	120A
z		1	-	T.	EXISTING		1	WOOD	3-0" x 7-0" x 1 3/4"	188

No. DOOR REMARKS

MEDIE EXST. ALM DOOR & FRA
REUSE EXST. PUSH BAR D

ESST. ALMA DOOR & FRAME, VEREY N GOOD CONDITION FOR REALINE. EXIST, RISH HAN ESTIT, F. RECURED, REPLACE TO MATCH ESST. WOOD DOOR W/ HA FRAME, VEREY N GOOD CONDITION FOR REALINE DIST. PANC HARDWARE, F. RECURED REPLACE TO MATCH.

EXST. WOOD DR & WOOD FRAME, VEREY N GOOD CONDITION FOR REUSE EXST. WOOD DR & HM FRAME, VERFY N GOOD CONDITION FOR

						_	J	≽																					
18 8	18 6	蒙	18.4	1178	*	116A	15 8	*	1140	1140	1148	114A	113A	112A	Ħ	110A	109A	108A	107B	107A	1064	105A	104A	102A	100C	1008	A001	ĕ	8
3-0 × 7-0 × 13/4	3'-0" x 7'-0" x 1 3/4"	3'-0" x 7'-0" x 1 3/4"	3-0" x 7-0" x 1 3/4"	3'-0" x 7'-0" x 1 3/4"	30 8 70 8 134	3-0" x 7-0" x 1 3/4"	3-0" x 7-0" x 1 3/4"	なみきであませるよう	PR 3-0 × 7-0 × 13/4	PR 3'-0" x 7-0" x 1 3/4"	3-0" x 7-0" x 1 3/4"	3-0' x 7-0' x 13/4"	3'-0" x 7'-0" x 1 3/4"	3'-0" x 7'-0" x 1 3/4"	3-0" x 7-0" x 1 3/4"	3-0" x 7-0" x 1 3/4"	3'-0" x 7'-0" x 1 3/4"	PR 3-0 × 7-0 × 13/4	3'-0" x 7'-0" x 13/4"	3'-0" x 7'-0" x 1 3/4"	3-0" x 7-0" x 1 3/4"	3'-0" x 7'-0" x 1 3/4"	3'-0" x 7'-0" x 1 3/4"	3'-0" x 7'-0" x 1 3/4"	PR 3'-0' x 7'-0' x 1 3/4'	PR 3'-0" x 7'-0" x 1 3/4"	PR 3'-0" x 7'-0" x 1 3/4"	DOOR	DOOR, HARDWARE & FRAME SCHEDULE
WOOD	WOOD	WOOD	ALUM	ALUM	W000	WOOD	WOOD	K_	WOOD		WOOD	WOOD	WOOD	WOOD	WOOD	WOOD	WOOD	WOOD	WOOD	WOOD	WOOD	WOOD	WOOD	¥	WOOD	WOOD	ALUM	MATERIAL ELEV	Æ & F
1	ı	ı	1	1	3	1A/A9	1	JAVA9	1A/A9	W/A9	1	ı	ı	1A/A9	1A/A9	1	ı	1	ı	ı	1A/A9	1A/A9	ı	1	ı	1A/A9		ELEV	RAM
-	-	ž		-	- T	-	1	}		1		-	-			1			-					1表	-			RATING	SCK
EXISTING	EXISTING	EXISTING	EXISTING	EXISTING	EXISTING	A,C,E	EXISTING	全等	ADE	ADE	EXISTING	EXISTING	1	A,D,E	ADE	EXISTING	EXISTING	EXISTING	EXISTING	EXISTING	A,B,F	A,B,F	EXISTING	EXISTING	EXISTING	A,B,E,G	SNLSKE	HARDWARE	DULE
₹	¥	₹	ALUM	ALUM	2	ž	¥	}	₹	₹	₹	ž	¥	₹	₹	₹	₹	¥	¥	₹	₹	HM	₹	¥	¥	₹	ALUM	FRAME MATERIAL PROFILE	
1	1	1	1	1	3	2A/A9	1	20/40	2A/A9	2A/A9	1	1	1	2A/A9	2A/A9	1	1	-	1	1	2A/A9	2A/A9	1	-	1	2A/A9		PROFILE	
1	1			-		3A/A9	1	34489	3A/A9	3A/A9		1	-	3A/A9	3A/A9	1	1		-	1	3A/A9	3A/A9	1			3A/A9		RIEVATION	
1	1	1	1	1	2	4A/A9	1	48/48	4A/A9	4A/A9	1	1	1	4A/A9	4A/A9	1	1	-	1	1	4A/A9	4A/A9	1	-	-	4A/A9		DETAILS	
8	8	22	N	N	3		8	\{\}			85	N3	N3			చ	N3	N3	N3	83			NS	N2	NZ, RELOCATED		IN	REMARKS	

James W. Clarke License No. 9209924 Exp. Date 12/31/2023

1-(6)

SHEET NUMBER

DOOR SCHEDULE/NOTES

SHEET TITLE:

PROJECT NUMBER

VISTA COMMUNTY CHURCH 5626 FRANTZ RD. DUBLIN, OHIO 43017

PROJECT:

These Divalge and describation proposed by Carles of Architecture for whosened by Carles of Architecture for whosened of services for one policy with otherwise provided (Carles Advitices). As while the describation is while the describation of these substances and well seem and common was substances and well seem and common was substances and well seem and common substances and well seem of other substances of the describation of the Davidy Seemiclation of the Pro-posal of or completion of the Pro-gram of Carles and Carles of the Pro-Jest of or completion of the Pro-Jest of the Carles of the Pro-Jest of the Pro-Jest of the Carles of the Pro-Jest of Pro-Jest of the Pro-Jest of Pro-

REVISION DATES: OCTOBER 18, 2023/

JULY 6, 2023

GENERAL: ALL HANDRALE, GRAB BARS, 4 TUB 4 SHOUER SEATS REQUIRE TO BE ACCESSIBLE SHALL COMPLY W/ANSI.

An order proper and the Country of Land and the Country of Land and Land an

PROTRUDING OBJECTS: ELETINATIVA HAZARDA, A HADRAIL DE REELE OF AY BARE DA ABRANTE BARACIE ROLLORIT TO IT BALLL DE REELE OF AYT BARE? OR ABRASINE ELETINITE, EDGES SHALL HAYE A MINITATI RADIAS OF 1/8".

GERENAL CONSTITUTION MONTHALL FOR EXPENSION AND AN ALLONG THE PROBLEM OF THE PROB TO LIANN ELLIO OR VIGILLE, HALLIS CORRECTORS PASSACISIMANS ANIA CESSIBLE DE PROVINCIA LA CARRESTICA DE LA CARRACTA LA CARRESTICA DE LA CARRACTA LA CARRACTA DE LA CARRACTA DEL CARRACTA DE LA CARRACTA DE LA CARRACTA DE LA CARRACTA DE LA CARRACTA DEL CARRACTA DE LA CARRACTA DEL CARRACTA D

SPACE ALLOWANCE AND REACH RANGES:

<u>Weel Chair Turning op ace.</u> The oppace required for a wheelchair to take a los-decree turn is a clear oppace of 60 n diateter or a '-shafed space'. UDTH FOR WHEELCHAIR PASSING. THE MINITUM WIDTH FOR TWO PHEELCHAIRS TO PASS IS 60 R. <u>ILCHAIR PA66AGE WIDTH</u> THE MINTUM CLEAR WIDTH FOR SNGLE ILCHAIR PA66AGE SHALL BE 32 N AT A PONT AND 36 N TNICKEN Y

THE CHANGE OF MODIFIED THE POLICE OF MEDITIONS OF MEDITIO

RELATIONER OF TANBLERING CLEARANCE TO MERLOHIN REVIEW OF RELLANDERSON THE OFFICE OF HE CLEAR FLOW OR ADMINISTRATION OF ADMINISTRATION OF THE ONE OFFI MERLOHIN SHALL ADDIN OR OFFILMS AN ACCESSIBLE SOUTE OR ADDIN ANOTHER MERLOHING CLEAR FLOWS SHALE IS A CLEAR FLOW OF SHALE IS LOCATED IN AN ALCORD OR CHEMISE CONFIDED ON ALL OR PART OF THESE SIDES.

SINGALOSI POR METELOLAR REPOZEO CILAR FLORI DE GRACADO SPACES POR METELOLARIO SILVILLI COPITA", METILA DI PORMADO RECUL E TILE CILAR FLORI SPACED DE LA LLORIS PORMED APPROVICTI DA VORIECT THE PLYNICHT LIGHT DEMANDO RECUL AL LOLED SPALTE DE AN THE THE PLYNICH DEMANDO RECUL SI SI N. E THE HIGH TORMADO RECULT S OFER AN COSTRIGUEDO.

SIDE REACH, IF THE CLEAR FLOOR SPACE ALLOWS PARALLEL APPROACH BY A PERSON IN A UHEELCHAIR, THE "MAXIMLY HIGH SIDE REACH ALLOWED SHALL BE SA NAID THE LOW SIDE REACH SHALL BE NO LESS THAN 9 IN ABOVE THE RAOR

GROUND AND FLOOR SURFACES:

GENERAL, GROAD AND R. OOR SURFACES ALONG ACCESSIBLE ROJES AND STARS, AND CURE RAYES, SHALL BE STABLE, FIRM, SUPPRESSTAN;

SOURCE NITER THAN IS N SHALL BE ACCOUNT USED BY FEMILE AND IS CHARGES NITERIAL AND IS SHALL BE REPAIRED IN THAT A SLOPE TO SHALL BETHERN IA N AND IS SHALL BETHERN IA NAS IS NEW TOWN IN THE SHALL BETHERN IA NAS IS N

CARRELL FORWELT OR CARRELL THE INJURY OF A ASSAUD OR FLOOR SERVICES SHAPE OF THE RECORD THAT THE CHIEF OF THE

ERATINAS, HE GRATINAS ARE LOCATED NI MALTAK SURFACES, THAN THAY IS NI MIDE NO ARE DECECTION, HE HANT THAN IS NI MIDE NO ARE DECECTION, HE HANT THAN SHALL BE PLACED OF THAN THE LOCAL DIFFESION IS PERFENDICILLAR TO THE DOWNANT HANT THE LOCAL DIFFESION IS PERFENDICILLAR TO THE DOWNANT.

GLEAS LIZELLI COORMAN'S SHALL HAVE A NINCHY CLEAR OFFENING OF 25 N (8) HY JUMTH THE DOOR OFFN SO DESERTS, HEALMED BETLERN) THE HY-OF THE DOOR NO. THE OFFNORTH SUPPLIEST HAVE AND ALL DIS-OFFN SO DOOR NO. THE OFFNORTH SUPPLIEST HAVE AND ALL DIS-ADD ALSO GET THE ALL DIS POSETTION FOR DOOR NOT RECEIVED THE THE RESOLUCE UND AS SHALL DIS CLEAR TO ALL THE CLEAR OFFNING REDUCED TO 20 NO. 40 SHALL DIS-TO-NINGTH. GENERAL: DOORS REQUIRED TO BE ACCESSIBLE BY 41 SHALL COMPLY WITH THE REQUIREMENTS OF 413.

TAMEN/ERIKA GLEJARAKERA AT DOZIGIA, INNIVAT HANDI/ERIKA GLEJARAKERA AT DOZIGIA, INNIVAT HANDI/ERIKA GLEJARAKERA AT DOZIGIA GLEJARAKERA AT DOZIGIA DE KARILA GLEJARAKERA AT DOZIGIA DE KORIZOTA AT RELIGIA DE KARILA GLEJARAKERA AT RELIGIA DE KARILA GLEJARAKERA AT RELIGIA DE KARILA GLEJARAKERA GLEJ

TIMESHADE AT LOCALINE, THERMADE AT DOCUMES SHALL NOT BY CELLO MAN (18 MM). NA EAST TOO SHALL NOT (10 MM) NO ONER TITES OF DOCUME SAMED THERMADE AND TAGOR LEFAL COMMERS AT ACCESSIONE DOCUMES SHALL BE DEFALED WITH SLOTE NO GREATER THAN 12 (SEE 452).

DOOR HARDWARE: HAIDLES, PILLS, LATCHES, LOCKS, AND OTHER OPERATING DEVICES ON ACCESSIBLE DOORS SHALL HAVE A SHAPE THAT IS NDICATED ON THE DOOR SCHEDILE

DOOR CLOSUSEE, IF A DOOR HAS A CLOSER, THEN THE SUEEP PERIOD OF THE CLOSER SHALL BE ADJUSTED SO THAT FROM AN OPEN POSITION OF TO A DECLESSE, THE DOOR SHALL THAT AN ILLEST IS SECONDATE OF YOUR OF A POINT 3 N. 19 HT) FROM THE LATCH, TELASUSED TO THE LEJONG EDGE OF THE DOOR. OHER GENERAL PRIMARY HOUSE THE GENERAL PROBLEMS OF THE CHARGE SHAPE SHAP

S.T.S

HARACTER PROFESTION: LETTERS AND NIPERES ON SIGNS SHALL HAVE AUDITATIO-HEROPESTICK LETTERS JS AND NI AND A STROKE-UIDTH-TO-EIGHT RATIO BETWEEN 15 AND NO. NTRANCES, ENTRANCES WHICH ARE NOT ACCESSIBLE SHALL HAVE DIRECTIONAL SKRVAGE WHICH INDICATES THE LOCATION OF THE NEAREST INCESSIBLE ENTRANCE.

CLARACTER HEST CHARACTERS AND NITBERS OF SIAS SHALL ER SEED ACCORDANT OF THE VERNING DISHACE RAYS HE HEST HAY CARE IN DER READ. THE VERNIN HEST IS THEASTED LISHS AN INTERFACATE X, LOWER CARE CHARACTERS AND REPORTED OR PROJECTED 9:

MO DEPAILED CHARACTERS AND PICTORIAL STREAM SEASON THE AVENT AND SEASON THE AVENT AVENT AND SEASON THE AVENT AVENT


FINEL AND CONTRAINT THE CHARACTERS AND BACKGROUND OF SIGNS SHALL BE EXCELENT WITH CONTRAIN THE RESCUENCE OF CHARACTERS AND STREAMS WITH THE RESCUENCE OF THE FIRE OF CHARACTERS ON A DAME SUCCIONDO OR DAME CHARACTERS ON A LIKE BACKGROUND OR DAME CHARACTERS ON A LIKE BACKGROUND OR DAME CHARACTERS ON A LIKE BACKGROUND OR DAME CHARACTERS ON A

TOILET PLAN

SYMBOLS OF ACCESSIBLE SHALL USE THE INTERNATIONAL SYMBOL OF ACCESSIBLE SHALL USE THE INTERNATIONAL SYMBOL OF ACCESSIBLITY.

48' MIN AFF TO LOUEST RAISED BRAILE 60' MAX, AF TO BOTTOM OF HIGHEST RAISED CHARACTERS 3. PROVIDE CONTRACTED (GRADE 2)
BRAILLE DIRECTLY (NOTER THE TACTILE
CHARACTERS, DOTS SHALL THE RAGED A MIN
OF 1/40* LEONE THE BACKGROUND AND
OF 1/40* LEONE THE BACKGROUND AND
OF 1/40* LEONE THE BACKGROUND AND
OF 1/40* LEONED, HORIZONTAL FORMAT. . LETTER CHARACTERS SHALL BE RAISED /32" MIN. AND SHALL BE SANS SERF JETERCASE. MIN. HEIGHT 5/8" AND MAX. HEIGHT 2". HORIZONTAL FORMAT. 3/8' TO

TYP. EXIT SIGN MOUNTAS LOCATION FOR SUCH SIGNAGE
VALL BE 80 THAT A PERSON THAT
PERSOACH WITHIN 3' OF SIGNAGE WITHOUT
KOUNTERING PROTREDING OBJECTS OR
TANDING WITHIN THE SWING OF A DOOR. TYP. TOILET ROOM SIGN



PROVIDED, SHALL HAVE
PROVIDED, SHALL HAVE
AT LEAST A 3-SECOND
CLOSING TIME PERIOD
PROM 100 OPEN POSITIO
TO 3' PROM LATCH

[P-] 6' MIN. 60' MAX, AFT TO BOTTOM OF HIGHEST RAISED CHARACTERS 48" MIN AFF TO LOWEST RAISED BRAILLE

CLARKE ARCHITECTS, N

8


475 Village Park Dr. Powell, Chio 43065-9178 Office: 614-791-1200 Mobile: 614-271-8420 jolarke@clarkearchitects.com


S, PROVIDE CONTRACTED (GRADE 2) BRAILE DIRECTLY UNDER THE TACTILE COLARACTERS, DOTS SHALL BE RAIGED A THIN OF 140° ABOVE THE BACKGROUN AND OR 140° ABOVE THE BACKGROUN AND ROUNDED OR DOTED. HORIZONTAL FORTIATI 3. LETTER CHARACTERS SHALL BE RAISED 1/32" MN. AND SHALL BE SANS SERIF UPPERCASE, MN. HEIGHT 5/8" AND MAX. HEIGHT 2", HORIZONTAL RORTAT. 2. PICTORIAL SYMBOL (PICTOGRAMS) SHALL BE ACCOMPANIED BY THE VERBAL DESCRIPTION PLACED DIRECTLY BELOW, THE OUTSIDE DIMENSION OF THE PICTOGRAM FIELD SHALL BE A MIN OF 6' HIGH. CALEACTIERS AND THEIR BACKEROAD SHALL HAVE A NOXIGLARE THISH ARACTIERS SHALL CONTRAST WITH THE BACKEROADS. IS THEIR LIGHT CHARACTIER DARK BACKEROAD OR DARK CHARACTIERS ON LIGHT BACKEROAD.

B. PODATING LOCATION FOR BUTH BIGNAGE SHALL BE SO THAT A PERSON MAY APPROACH WITHIN 3 OF BEGRAVAGE WITHOUT BHOOMTERNG PROTRUDING OBJECTS STANDING WITHIN THE BUING OF A DOOR. 6. PERMANENT IDENTIFICATION PROVIDED FOR ROOMS AND SPACES SHALL BE NSTALLED ON THE WALL ADJACENT TO THE LATCH SIDE OF THE DOOR. OUBLE-LEAF DOORS, SIGNS SHALL BE PLACED ON THE NEAFEST ADJACENT WALL

James W. Clarke License No. 9209924 Exp. Date 12/31/2023

N.T.S.






MOUNTING HEIGHTS

FLOOR PLAN





PROJECT:

REVISION DATES

JULY 6, 2023

VISTA COMMUNITY CHURCH 5626 FRANTZ RD. DUBLIN, OHIO 43017

SHEET TITLE:

ACCESSIBILITY NOTES/ DETAILS

SHEET NUMBER

ES SHALL BE ON THE WIDE SIDE OF THE TOLLET ROOM

PLUMBING ACCESSIBILITY NOTES 0 ✐ 9 Θ € 0 ூ $_{\bigcirc}$ 0 0 <u></u> Ð LUMBING NOTES NOT WATER A DRAIN PIPES UNDER LAVATORIES SHALL BE NSILATED OR CTHERWISE COVERED. THERE SHALL BE NO SHARP OR ADRASVE SUPFACE. UNDER LAVATORIES. TOTET PLUM CONTROLS SHALL BE OFFENBLE IF ORE HAVD I SHALL NOT REQUIRE TIGHT GRAVENIA PROLING, OR TIGHTNIC OF THE MERST, CONTROLS FOR THE FLIEW I ANGERS SHALL BE FLOXIED NO YORK THAN 41 ABOVE THE FLOXE, THE TOXICE REQUIRED TO ACTIVATE CONTROLS SHALL BE NO GREATER THAN 9 LESSET. CLEAN OUTS SHALL BE INSTALLED & EACH CHANGE OF DIRECTION OF THE BUILDING DRAIN OR HORIZONTAL MASTE OR SOILS LINE GREATER THAN A 48 DEGREE FER OPC 1005.3 AL CLEW OTIS SHALL BE INSTALLED WHERE READILY ACCESSIBLE THE COMPRECION TRACTOR SHALL COMPONITE ALL CLEW OUT LOCATIONS W EQUIPMENT, CABRIETS ETC. PRIOR TO ANY INSTALLATION. AT LEAST (1) SOIL OR WASTE STACK SHALL EXTEND FILL SIZE THROUGH THE REAR OF BUILDING 4 SHALL BE AS DIRECT AS POSSIBLE 4 FREE FROM SHARP ANALES 4 TURNS ALL PLITBING FIXTURE VENTO TO TERMINATE A MINIMAM OF IZ INCHES FROM ANY VERTICAL SURFACE & NO FEET FROM ANY OUTSIDE ARE NITAKE. ALL VENTS SHALL BE 3", THRU THE ROOF, RELIGE EXIST, LIEREE POSSIBLE, UNLESS OTHERWISE NOTED. CONTRACTOR SHALL VERSEY THE LOCATION OF THE EXIST. SANITARY LINES INSIDE THE BUILDING. ALL EXPONED PLUTERIA LIVES INDER THE SINC SHALL BE PROTECTED BY INSULATION OCCUPILY IN ANSI ALL DRAIN 4 SUPPLY LINES SHALL BE KEPT TIGHT TO THE INDERSIDE OF EQUIPMENT 4 SECURED IN PLACE. NSULATE ALL DOMESTIC (NITEROR) WATER PIPMS, HOT 4 COLD III 107 TEBERSLASS NSULATION IIII VAPOR BARRIER ALL WATER LINES SHALL RAI ABOVE THE SUBP. ACCUSTICAL CELINA. ALL DOTESTIC MATER PIPING ("NERIOR) SHALL BE HARD DRAIN COPPER TIPE "L"
ABOVE GRADE, COPYC OR PEX 4 SOFT DRAIN COPPER TIPE "L" BRAZED JONIS OR
RIGID PLASTIC BELOW GRADE. FLOOR DRANS, DIRECTLY CONNECTED, SHALL HAVE A PERMANENT WATER TRAP SEAL CONTRACTOR SHALL OBTAN A COMPLETE SET OF PLANS 4 BE FAMILIAR WITHE ENTIRE PROJECT IN ORDER TO UNDERSTAND THE COMPLETE SCOPE OF THE PROJECT. PORMANDA ME COMPATION NAVINGE CONTRACTORS RESPONSIBLE FOR RELD
COMPANING A CRAITS OF ALL PRINCE FOR MEDICATION AFTIC
COMPANING A CRAITS OF ALL PRINCE FOR MEDICATION AFTIC
COMPANING A CRAITS OF ALL PRINCE FOR MEDICATION AFTIC
MEDICATION
MEDICATI THE CONTRACTOR SHALL BE RESPONSIBLE FOR OBTAINNG 4 PAYING FOR ALL FEES, PERHITS 4 INSPECTIONS REQUIRED FOR THE PERFORMANCE OF THIS LICKY. ANATIAST MARIE + NRIT PERINA BAALL ME RYC PERINA ALL 46 APPROVED BY THE LOCAL AUTHORITY, RISTALL FIEST ALL BANTIAST MARIE + KENT PERING N ACCORDANCE M ALL LOCAL, STATE + REDERAL CODES. VILET CONTROLS (OFFENING RECURSIVES SHALL BE OFFENELE IF OR BEHAND SHALL NOT RECURSIVE THAT GRAVENING PROJECT AS TURNING AND THE MARKET SHALLERS TO ALTHAIT THE CONTROLS SHALL BE HAVE THE ORDER THAT THAT GRAVENING PROJECT SHALLTHE I BECTROMOLITY CONTROLLED TROUMERS AND EASTERS OF ACCEPTABLE DESIGN BEIT CLOSING VILYES AND BLOODERS THE MALKETS BEHAND OFFEN AT LEAST OF BROODERS. COPPLETELY FUSH 4 STEERLIZE ALL DOPESTIC MATER FERNA FER MAIN RECOPPSIDATIONS - FERR THE LOCAL CONTY AND FERRISE DOPESTIC MATER FERNA PROVIDE 1 PAY FOR ALL MPS-LOCAL TESTS, REPORTS 4 FEES, DOPESTIC MATER FERNA WALL BE FEESMARE STEED TO SOM PING FOR ST (6) HAGES UN OF DOCESTIC LARGE 1. I IN CHARGE PLATE COST BRAGE TAL PRICE I TRACE US CENCOT THE CHARGE ALTER COPPER REPLETE WORTH CHARGE PLATED BRAGE BROUNDEAU THE AT WALFE AND CHARGE ALTER AT WALFE.


2. NOLLATE TRACE & RAPPLES PER ANS GUIDELNES, MONT FOR FRONT RAY AT 34' AFF. PROVIDE CUT SPETS ON ALL PLIMBING PIVILIES BEFORE ORDERING, ALTERNATE PLIMBING PRIVILES MAY BE SUSSITUITED W. OWNER APROVAL.


ALL PLIMBING FRITIERS SHALL BE INSTALLED IN ACCORDANCE W/ MANUFACTURERS SPEC'S. (DROP IN) BOTT BOTTE S P N LAX 61 CLOSEL EXTEN CLOSEL EXIST. HEXIST. WASTE PIPE SHALL SLOPE 2% MINIMUM, UNLESS OTHERWISE NOTED OR REQUIRED. W GRID DRAIN OR APPROVED BOAK! "BYGGSOGIC W

W GRID DRAIN OR APPROVED BOAK!

W GRID DRAIN OR APPROVED BOAK! AMERICAN STANDARD MADERA" 16/FV ELONGATED BOIL, 16/GALLON, SEAT, OLSON'TE 755 OR CHURCH 755/09C OPEN PRONT SEAT LESS COMER OR EQUAL. ELKAY LUSTERIONE DEEP DOUBLE BOILL SINC. HODEL FOLKASS222 W ELKAY DEOK MOUNT 8' CENTER GOOSENEOK 8' W LEVERED HANDLES HAT THOP SNK.; * M8B - 2424 W BUTTER GLARD *E-TT-AA, HAT *830-AA FALCET, HAT *899-CC MOP HANGER, M8G 2424 WALL GLARD, *832-AA HOSE 4 HOSE BRACKET exist urnal, yerfy n good condition 4 good working order for relief EXIST, MOP SINK, VERRY IN GOOD CONDITION 4 GOOD WORKING ONDER FOR REUSE, VERRY THERE IS A PRESSURE TYPE VACUATION OF A REUSE OF THE VACUATION IXIST, WATER CLOSET, VERFY IN GOOD CONDITION 4 GOOD WORKING DEER FOR REUSE IXIBT, WATER COOLER, VERFY, N. GOOD CONDITION + GOOD WORKIN XIDER, POR REUSE. VERFY, HEIGHT IS NO YORK THAN 36", AF X181. WATER HEATER, VERBY IN GOOD CONDITION 4 GOOD WORKING RODER FOR RELIGIE. HUSE. VERET IN GOOD CONDITION & GOOD INVENTS ONDER MEISE. VERETY THE LEVER HANDLE CONTROLS ARE IN GOOD ING ORDER, VERETY COUNTER IS NO MORE THEN 34" HIGH FOR PLUMBING SCHEDULE " " " 26. NOTALL SHITCHT VALVES ON ALL HOT 4 COLD WATER LINES TO FIXTURE OR APPLIANCE. 20. NOTALLATION SHALL CONFORM TO THE INJURIES CODE FOR NEW COTTERCIAL BUILDINGS. ł PROVIDE TEMPERATURE CONTROL, VALVES + ALL SHOURES SHALL BE AS SPECID IN THE PLITISMS SCHEDULE OR EQUAL VALVES SHALL PRET UP THE ASSE UP D STANDARD. THE PLIPS AS CONTRACTOR HAS THE ROAT TO SUBSTITUTE THE TAXABLICITURES OF THE ROAT TO RETAILED AS LOAD AS THE ROATEMENT OR FOLURES VEICES OR DOCUMENT THE DEPOST THE DEPOST REQUIRES WITH AS NOTICE TO THE INSTALLATION A MATERIALS FOR THE PLUYBING SYSTEM SHALL COYPLY INTO PLUYBING CODE ALL VALVES, TRAP PRINTES, SHOCK ARRESTORS OR OTHER EQUIPMENT SHOUN N. MALLS OR ABOVE NON-ACCESSIBLE CEILING SHALL BE INSTALLED BEHND A ACCESS PAREL THE PLIMBING DEBIGN OR LAYOUT CAN BE ADJUSTED BY THE PLIMBER DUE EXISTING CONDITIONS OR EASE OF CONSTRUCTION. PROVIDE TEMPREATURE CONTROL, VALVES & ALL HAVD SINGS, MARTAN A MAX.
TEMPREATURE OF NO DESCREES, MANUFACTURE WATTS MODEL MIGHS OR EQUAL.
TEMPREATURE OF NO DESCREES, MANUFACTURE WATTS MODEL MIGHS OR EQUAL.
(2) SINGS CAM RAIN OFF OF (1) TEMPREATOR VALVE, PROVIDE EXAM ACCESS
(2) SINGS CAM RAIN OFF OF (1) TEMPREATOR VALVE, PROVIDE EXAM ACCESS THE PLUMBING CONTRACTOR HAS THE OPTION OF DESIGNING A "LET-VENT" DRAIN SYSTEM FOR THIS PROJECT. VERFY THE EXIST BACK FLOW PREVENTOR FOR THE BUILDING SERVICE VERFY THE NOOTING DOTESTIC WATER LINE SIZE 4 PRESSURE UNITED PRIOR TO CONSTRUCTION FALLINE OF THE CONTRACTOR TO MERCIAL PRESIDENT FALLINE OF THE CONTRACTOR TO MERCIAL PRIOR THE CONTRACTOR ANY SUBSECULAR CONTRACTOR OF THE CONTRAC CONTRACTOR SHALL COORDINATE NOTALLATION OF FLUTSING LORK WALL OTHER TRACTES SO AS TO AVOID NACESSARY DELAY OR HERERENCES, CONTRACTOR TO REVIEW ARCHITECTURAL 4 EQUIPMENT SHEETS. ŧ ž š ŧ ŀ ŧ ł ALYES, UNIONS, ETC. TO BE SAME SIZE AS PIPE UNLESS OTHERWISE VIED ON DRAWINGS. TO MIXAS MOUNT TOP VALVE I/2" MOUNT TOP TO MIXING VALVE 12' TU TO SNKS THE TO SINCE : ŧ 3/4' i i 3/4 ł ŧ URE TYPE VACUUM BREAKERS NOTALLED ON THE MOP ŧ ŧ (V) SANITARY ISOMETRIC SITE VERFY THE BEST LOCATION TO THE INTO THE EXIST. SANITARY LINE 3 AFE/UTILITY PLUMBING PLAN 0 X JΗ[⑸ THE MENU DRAIN NTO
THE EXIST FLOOR
DRAIN, THE EXACT
LOCATION CAN BE
FIELD ADJUSTED,
PROVIDE COLD 4
HOT MATER VERRY THE
EXIST. TOILET
DRAIN IS N THE
LOCATION
REQUIRED LOWER AN EXIST.
URINAL SO THAT
THE RIM IS IT CAP THE SANITARY LINE BELOW THE FLOOR FOR THE TOUR FOR THE COR CREATE A CLEAN OUT -LOWER AN EXIST.
URINAL SO THAT
THE RIM IS IT
MAX. AFF 2 SECOND FLOOR PLUMBING PLAN **(I)** FIRST FLOOR PLUMBING PLAN 3 2 12 Ŕ 2 ĝ 0 ğ ğ ğ ğ g g YERFY HEIGHT OF SEAT IN THESES STALL IS IS! MAX. SITE VERIFY THE BEST LOCATION TO TE NTO THE EXIST. SANITARY LINE These Diversity and Specifications in the production of the produc 475 Village Park Dr.
Powell, Ohio 43065-9178
Office: 614-791-1200
Mobile: 614-271-8420
jclarke@clarkearchitects.com PLUMBING PLANS/NOTES VISTA COMMUNTY CHURCH 5626 FRANTZ RD. DUBLIN, OHIO 43017 PROJECT: CLARKE ARCHITECTS, INC. SHEET NUMBER SHEET TITLE: REVISION DATES: OCTOBER 18, 2023/11 James W. Clarke License No. 9209924 Exp. Date 12/31/2023

JULY 6, 2023





SECOND FLOOR ELECTRICAL ROOM

ELECTRICAL SPECIFICATIONS

ALL MATERIALS SHALL BE NEW 4 IN UNDETERIORATED CONDITION UL. LISTED WHERE APPROPRIATE, 4 OF THE SAME MANUFACTURER FOR SIMILAR APPLICATIONS. FNISH 4 NSTALL ALL LABOR MATERIALS 4 EQUIPMENT REQUIRED FOR OR NOIDENTAL TO NSTALLATION OF A COMPLETE ELECTRICAL SYSTEM AS NOICATED IN THESE DOCUMENTS.

ALL WORK SHALL CONFORM TO STATE CODES, LOCAL CODES & THE NATIONAL ELECTRIC CODE (NEC.) & SHALL BE N A WORK SHALL CONFORMED TO THE ARCHITECT BY CRAFTSHEN SKILLED N THIS TRADE.

COMMINITE REALIFIENT CONSCITON REQUIREMENTS WITH THE GENERAL, PLIMENG OR HAVE CONTRACTOR TO VERIFIED INTO LAGE, PHASE, DEPARTO (AFFERES), LOCATION 1 TIPE OF POWER CONSCITON SO THAT CONFLICTS HAY BE INNIVIDED.

MINIMUM WINE 81ZE 8HALL BE 192 THW (114 THW FOR CONTROL) UNLESS OTHERWISE NOTED. ALL WIRE SHALL BE COPPER

THE ELECTRICAL CONTRACTOR SHALL ARRANGE 4 PAY FOR ALL REQUIRED FEES. PERMITS 4 MISCELLANEOUS COSTS ASSOCIATED WITHE ELECTRICAL WORK.

AUALANTE AL TATEALA 4 LORGYANGHE (COPANNA THE ELECTRONA SYSTE) YOR A PERCO OF (1) ON THAN ROY WATTEN ACCEPTANCE BY THE QUARE, ANY DEPTICS IN NATERIAL OR LORGYANGHE RONO, LITHER THE GUARANTE FERCO SHALL BE REPREDED ON REPAIRED BY THE CONTRACTOR IN A TITELY PASHON AT NO COST LIATROPYRE TO THE GUARA

ALL RECEPTACIES NATALED NIET AREAS COME TO SAKO MALL HAR RECOGNALIT CORDITATIONS PROPERTIES ARCHITICAS ALL COMPANIONS PROPERTIES AREAS AND AREAS A

10 TA 34

φ

ELECTRICAL LEGEND:

SEE SHEETS ES 4 E4 FOR THE PANEL SCHEDULES.

THE ELECTRICAL CONTRACTOR SHALL YERRY WITHE CHARR ALL LOCATIONS OF ALL OTHERS PHONE HACKS TV CABLE HACKS NETWORK CABLING, DATA LINES ETC. BEFORE ROUGH NSTALLATION, ALL TV OUTLETS MONTED HIGH SHALL HAVE A COMPUTER JACK MONTED HIGH

THE ELECTRICAL CONTRACTOR SHALL VERREY ALL EQUIPMENT LOCATIONS W/ THE OWER BEFORE ROUGH-INS BEGIN RECO TEXT FOR CONTRACTOR SHALL PROVIDE ALL MIRNA, CONSECTION, DISCONDECTS, CONDUIT & ELECTRICAL MOOK IPS AS

ALL ELECTRICAL EQUIPMENT 4 SYSTEMS SHALL COMPLY W/ NATIONAL ELECTRIC CODE 4 OBC CHAPTER 21

LOCATIONS OF EQUIPMENT, FIXTURES, WIRING 4 OTHER ELECTRICAL WORK IS INDICATED DIAGRAMMATICALLY ON THESE DRAWINGS VEREY LOCATIONS WITHE OWNER, STRUCTURAL CONDITIONS 4 SUBCONTRACTORS

WIRED JINCTION BOX FOR HARDWIRNG ADJACENT EQUIP, OR HYTURES, COORDINATE W/ EQUIPMENT. EXIST, QUAD RECEPTACLE . IS' AFF TO CENTERLINE, UNO. NEW DUPLEX RECEPTACLE . IS AFF TO CENTERLINE, UNO. QUAD RECEPTACLE . 18' AFT TO CENTERLINE, UNO. EXIST. DUPLEX RECEPTACLE . IS' AFF TO CENTERLINE, UNO. Q ₩ £ 101-12 ∇ ELECTRICAL PANEL NUMBER & CIRCUIT EXIST, DEVICE, VERFY IN GOOD WORKING ORDER FOR RELISE, COORDINATE W OWNER ROUND FAILT INTERRUPTER

SECOND FLOOR POWER PLAN

SHEET TITLE


VISTA COMMUNTY CHURCH 5626 FRANTZ RD. DUBLIN, OHIO 43017

PROJECT:

JULY 6, 2023

SECOND FLOOR POWER PLAN

SHEET NUMBER



James W. Clarke License No. 9209924 Exp. Date 12/31/2023

8

T NUMBER:

THE

FIRST FLOOR LIGHTING PLAN/NOTES


PROJECT:

DATES

OCTOBER 18, 2023/

VISTA COMMUNITY CHURCH 5626 FRANTZ RD. DUBLIN, OHIO 43017

SHEET TITLE:



T NUMBER:

SECOND FLOOR LIGHTING PLAN/NOTES

VISTA COMMUNITY CHURCH 5626 FRANTZ RD. DUBLIN, OHIO 43017

DATES OCTOBER 18, 2023∕

These Drawings and Specifications proposed by Califie Activation in, are inscribed by Califie Activation in, are inscribed of a services for one socially with collection provided Califie Activation in Asia Disa demand the substrate of these activations and other areas and other proposes, for a demand of the activation of the activatio

James W. Clarke License No. 9209924 Exp. Date 12/31/2023

